LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
1	PT IDEC ABADI WOOD INDUSTRIES	Jl. Sei Sesayap,Desa/Kelurahan Kampung Empat, Kecamatan Tarakan Timur, Kota Tarakan, Provinsi Kalimantan Utara, 77124, Republic of Indonesia	Jl. Sei Sesayap RT VIII, Desa/Kelurahan Kampung Empat, Kecamatan Tarakan Timur, Kota Tarakan, Provinsi Kalimantan Utara 77124, Republic of Indonesia	Mr. Apo, Director	Plywood	1. Plywood for General Use	<u>Veneer Core</u>: - T-1 F☆☆☆, F☆☆☆☆ MF, All MLH; 3 - 11 plies (2.5 - 30.0 mm) - T-2 F☆☆☆, F☆☆☆☆ UF, All MLH; 3 - 11 plies (2.5 - 30.0 mm) - T-1 F☆☆☆, F☆☆☆☆ MF, (Catcher spray) All MLH; 3 - 11 plies (2.5 - 30.0 mm) - T-2 F☆☆☆, F☆☆☆☆ UF, (Catcher spray) All MLH; 3 - 11 plies (2.5 - 30.0 mm) <u>Lumber Core</u>: - T-2 F☆☆☆, F☆☆☆☆ UF, All MLH; 5 plies (18.0 mm) - T-2 F☆☆☆☆ UF (Catcher spray) All MLH; 5 plies (18.0 mm)	MALQ/P01-LF/001	Jun 19, 2006
						2. Low Formaldehyde Concrete Form Plywood	F☆☆☆ (MF) All MLH; 5 plies (12.0. mm) Direction of use: Length	MALQ/P02-LF/001	
						3. Low Formaldehyde Emission Structural Plywood	- TS C-1 F☆☆☆☆ (PF) All Kapur; 3 plies (5.0 mm) - TS C-2 F☆☆☆☆ (PF) All MLH; 5 plies (9.0, 12.0 mm), 7 plies (15.0 mm)	MALQ/P04-LF/001	Oct 31, 2022
					LVL	4. Laminated Veneer Lumber for Fixtures	- F☆☆☆☆ MUF (Catcher spray), 20.0 – 45.0 mm (9 – 17 layers) - F☆☆☆☆ PVAc (Catcher spray), 40.0 – 50.0 mm (18 - 22 layers) Wood species: Jelutung	MALQ/L01-LF/032	Apr 28, 2017

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
2	PT AICA TECHNO WOOD INDONESIA	Sektor 1A Blok K5A-B, Kawasan Industry Indotaisei (Kota Bukit Indah) Desa/Kelurahan Kalihurip, Kecamatan Cikampek, Kabupaten Karawang 41373, Provinsi Jawa Barat, Republic of Indonesia	Sektor 1A Blok K5A-B, Kawasan Industry Indotaisei (Kota Bukit Indah) Desa/Kelurahan Kalihurip, Kecamatan Cikampek, Kabupaten Karawang 41373, Provinsi Jawa Barat, Republic of Indonesia	Mr. Kazuki Kajio, Vice President Director	Plywood	Specially processed decorative plywood	- T-2, FW Type (Polyester) F☆☆☆☆ (PVAc) - T-2, FW Type (Polyester) F☆☆☆☆ (PVAc) Catcher Coating - T-2, W Type (Paper Over Lay) F☆☆☆☆ (Acrylamide)	MALQ/P06-LF/002	Jul 3, 2006
3	PT KAYU LAPIS INDONESIA	Desa Mororejo, Kecamatan Kaliwungu, Kabupaten Kendal 51372, Jawa Tengah, Indonesia	Desa Mororejo, Kecamatan Kaliwungu, Kabupaten Kendal 51372, Jawa Tengah, Indonesia	Mr. Andre Sulistyo Purnomo, General Director	Plywood	1. Plywood for general use	- T-1 F☆☆☆☆, F☆☆☆ MF, All MLH; 3 – 7 plies (2.7 – 14.5 mm) - T-1 F☆☆☆☆, F☆☆☆ PF, All MLH; 3 – 7 plies (3.6 – 12.0 mm) - T-2 F☆☆☆☆, F☆☆☆ UF (Catcher Coating), All MLH; 3 – 7 plies (2.7 – 14.5 mm)	MALQ/P01-LF/005	Oct 2, 2006
						2. Concrete forming plywood	Melamine, MLH/Keruing; 5 plies (12.0 mm) (Direction of use: Length)	MALQ/P02/005	
						3. Low formaldehyde emission structural plywood	- T-S C-1 F☆☆☆☆ All MLH/Keruing, 3 plies; 5.5 mm - T-S C-2 F☆☆☆☆ All MLH/Keruing; 5 & 7 plies (9.0, 12.0 mm)	MALQ/P04-LF/005	
							- T-S C-1 F☆☆☆☆ All MLH/Keruing,; 7.5 mm, 12.0 mm		Nov 07, 2022
						4. Low formaldehyde emission concrete forming plywood	F☆☆☆ PF MLH/Keruing; 5 & plies (12.0 mm) (Direction of use: Length)	MALQ/P02-LF/005	May 6, 2011

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
4	PT SUMBER MAS INDAH PLYWOOD	Jl. Tanjung Sadari No.23, Desa/Kelurahan Perak Barat, Ketc. Krembangan, Kota Surabaya, Provinsi Jawa Timur, 60177, Republic of Indonesia	Jl. Kapten Darmo Sugondo No.99, Desa/Kelurahan Karangkiring, Kecamatan Kebomas, Kabupaten Gresik, Provinsi Jawa Timur 61124, Republic of Indonesia	Darmansyah Darsono, Operations Director	Plywood	1. Plywood for General Use	Veneer core and Scarf Joint: - T-1 F☆☆☆☆, F☆☆☆ (MF), All MLH; 3 – 13 (2.4 - 35.0) - T-1 F☆☆☆☆ (PF), All MLH; 3 – 13 (2.4 - 35.0) - T-2 F☆☆☆☆, F☆☆☆ (MUF), All MLH; 3 – 13 (2.4 - 35.0) Lumber core: T-2 F☆☆☆☆, F☆☆☆ (UF) Combi MRT & Falcata; 5 (15.0 - 24.0 mm)	MALQ/P01-LF/006	Nov 13, 2006
						2. Concrete Forming Plywood	Melamine All MLH; 5 plies (12.0 mm)	MALQ/P02/006	
						3. Low Formaldehyde Emission Concrete Forming Plywood	F☆☆☆ (Melamine) All MLH; 5 plies (12.0 mm)	MALQ/P02-LF/006	
						4. Specially Processed Decorative Plywood	- T-2, W Type (Paper Overlay) F☆☆☆☆ PVAc, All MLH; 3 plies (2.5 mm) - T-2, FW Type (Polyester Veneer Core) F☆☆☆☆ Polymer Isocyanate, All MLH; 3 plies (2.5 mm)	MALQ/P06-LF/006	

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
						5. Plywood for general use with insect control treatment	- T-1 F☆☆☆☆ MF, (Cyphenothrin), All MLH; 3 - 13 plies (2.4 - 24.0 mm) - T-1 F☆☆☆☆ PF, (Bifenthrin), All MLH; 3 - 13 plies (2.4 - 24.0 mm) - T-2 F☆☆☆☆ MUF, (Cyphenothrin), All MLH; 3 – 13 plies (2.4 – 24.0 mm) - T-2 F☆☆☆☆ MUF, (Bifenthrin), All MLH; 3 - 13 plies (2.4 – 24.0 mm)	MALQ/P01-LF-IR/006	Jan 29, 2008
					LVL	6. Laminated Veneer Lumber 7. Laminated Veneer Lumber with Insect Control Treatment	- F☆☆☆☆, F☆☆☆ (PF), All MLH; 9.0 - 40.0 mm (5 - 17 layers) - F☆☆☆☆, F☆☆☆ (MUF), All MLH; 9.0 - 40.0 mm (5 - 17 layers) - F☆☆☆☆, F☆☆☆ MUF (Phenytrothion), All MLH; 9.0 - 40.0 mm (5 - 17 layers) - F☆☆☆☆, F☆☆☆ MUF (Cyphenothrin), All MLH; 9.0 - 40.0 mm (5 - 17 layers) - F☆☆☆☆, F☆☆☆ MUF (Bifenthrin), All MLH; 9.0 - 40.0 mm (5 - 17 layers)	MALQ/L01-LF/001 MALQ/L01-LF-IR/001	Nov 13, 2006
5	CERGAS IMPRESIF SDN. BHD.	No. 149, Sanctuary Villa, Jalan Tun Ahmad Zaidi 97000, Bintulu, Sarawak, Malaysia	Lot 164, Mile one, Sebauh, Pandan Road, PO BOX 514, 97008 Bintulu Serawak, Malaysia	Mr. Yu Po Han, President Director	Plywood	1. Low Formaldehyde Emission Structural Plywood 2. Concrete forming plywood	T-S C-2 F☆☆☆☆ PF, All MLH; 5 plies (9.0 & 12.0 mm), 7 plies (15.0 mm) T-1 MUF All MLH, 5 plies (12.0 mm) Direction of use: Length	MALQ/P04-LF/009 MALQ/P02/009	Apr 8, 2010

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
						3. Low Formaldehyde Emission Concrete Forming Plywood	T-1 F☆☆☆ MUF All MLH, 5 plies (12.0 mm) Direction of use: Length	MALQ/P02-LF/009	April 15, 2014
6	MENTAKAB VENEER AND PLYWOOD SDN. BHD.	5th Mile, Jalan Karak, PO BOX 12, 28400 Mentakab, Pahang Malaysia	5th Mile, Jalan Karak, PO BOX 12, 28400 Mentakab, Pahang Malaysia	Mr. Low Eng Chin, Managing Director	Plywood	1. Plywood for General Use	- Veneer Core: T-2 F☆☆☆ F☆☆☆☆ (MUF) All MLH; 3 - 9 plies (2.4 - 21.0 mm) - Lumber Core: T-2 F☆☆☆☆ (MUF) Combi MLH & Falcata; 5 plies (18.0 mm)	MALQ/P01-LF/010	Mar 22, 2007
						2. Concrete Forming Plywood	T-1 MUF All MLH; 5 & 7 plies (12.0mm) Direction of use: Length	MALQ/P02/010	
7	PT TANJUNG RAYA PLYWOOD	Desa Tinggiran II Luar, Desa/Kelurahan Tinggiran II Luar, Kecamatan Tamban, Kabupaten Barito Kuala, South Kalimantan 70566, Republic of Indonesia	Desa Tinggiran II Luar, Desa/Kelurahan Tinggiran II Luar, Kecamatan Tamban, Kabupaten Barito Kuala, South Kalimantan 70566, Republic of Indonesia	Mr. Jimmy Andreas, Director	Plywood	1. Plywood for General Use	Veneer core: - T-1 F☆☆☆, F☆☆, F☆ MF, All Meranti; 3 - 13 plies (2.5 - 30.0 mm) - T-1 F☆☆☆☆ (Catcher coating) MF, All Meranti; 3 - 13 plies (2.5 - 30.0 mm) - T-2 F☆☆☆, F☆☆, F☆ UF, All Meranti; 3 – 13 plies (2.5 - 30.0 mm) - T-2 F☆☆☆☆ (Catcher coating) UF, All Meranti; 3 - 13 plies (2.5 - 30.0 mm) Lumber core: - T-2 F☆☆☆ UF, Combi Meranti & Falcata ; 5 plies (2.5 - 30.0 mm) - T-2 F☆☆☆☆ (Catcher coating) UF, Combi Meranti & Falcata; 5 plies (2.5 - 30.0 mm)	MALQ/P01-LF/011	April 2, 2007

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
						2. Concrete Forming Plywood	T-1 MF, All Meranti 5 plies (12.0 mm)	MALQ/P02/011	
8	PT BUKIT INTAN ABADI	Jln. Pulau Nias, No. 38, Komplek Pergudangan, Desa/Kelurahan Titipapan, Kecamatan Medan Deli, Kota Medan 20244, North Sumatera, Republic Indonesia	Jln. Pulau Nias, No. 38, Komplek Pergudangan, Desa/Kelurahan Titipapan, Kecamatan Medan Deli, Kota Medan 20244, North Sumatera, Republic Indonesia	Henry Jap, President Director	GLT	Glue laminated timber for fixtures	F☆☆☆☆ (PVAc) Thickness:15.0 – 60.0 mm Wood species: Rubber wood, Pinus merkusii	MALQ/G01-LF/001	April 16, 2007
9	PT SUMBER GRAHA SEJAHTERA CABANG JAMBI	Sampoerna Strategic Square, North Tower, Lantai 21, Jalan Jenderal Sudirman, Kavling 45-46, Desa/Kelurahan Karet Semanggi, Kecamatan Setiabudi, Kota Administrasi Jakarta Selatan 12930, Republic of Indonesia	Jalan Lintas Timur, Desa/Kelurahan Sarang Burung, Kecamatan Jambi Luar Kota, Kabupaten Muaro Jambi, Jambi Province, Republic of Indonesia	Mr. Faisal Mahari, Director	Plywood	1. Plywood for General Use	- T-1 F☆☆☆☆, F☆☆☆ (PF) All Meranti; 5 - 7 plies (12.0 - 15.0 mm) - T-1 F☆☆☆☆, F☆☆☆ (MUF) All Meranti; 5 - 7 plies (11.5 - 15.0 mm) - T-2 F☆☆☆☆, F☆☆☆ (UF) All Meranti; 5 - 7 plies (3.6 - 15.0 mm)	MALQ/P01-LF/013	May 28, 2007
						2. Low Formaldehyde Emission Concrete forming Plywood	- T-1 F☆☆☆ (PF), All Meranti; 5 - 7 plies (12.0 mm) - T-1 F☆☆☆ (MUF), All Meranti; 5 - 7 plies (12.0 mm) Direction of use: Length	MALQ/P02-LF/013	
						3. Low Formaldehyde Emission Structural Plywood	T-S C-2 F☆☆☆☆ PF, All Meranti, 3 - 9 plies (4.5 - 18.0 mm)	MALQ/P04-LF/013	
					LVL	4. Laminated veneer lumber	F☆☆☆☆, F☆☆☆ (UF) F☆☆☆☆ (PF) Thickness: 25.0 - 50.0 mm (13 – 25 layers) Wood species : Pulai	MALQ/L01-LF/002	May 28, 2007

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
10	KORINDO GROUP PANGKALAN BUN	Wisma Korindo, Jl. M.T. Haryono Kav. 62, Pancoran Desa/Kelurahan Pancoran, Kota Adm. Jakarta Selatan Provinsi DKI Jakarta, 12780 Republic of Indonesia	Jl. KORINDO 77, Desa/Kelurahan Mendawai, Kecamatan Arut Selatan, Kabupaten Kotawaringin Barat, Provinsi Kalimantan Tengah 74115, Republic of Indonesia	Mr. Choi Sunghwan, Director	Plywood	1. Plywood for General Use	- T-1 F☆☆☆, F☆☆☆☆ (MF), All Meranti; 3 – 7 plies (5.50 – 14.50 mm) - T-2 F☆☆☆, F☆☆☆☆ (UF), All Meranti; 3 – 7 plies (5.50 – 14.50 mm) - T-2 F☆☆☆☆ UF (Catcher Spray) All Meranti; 3 - 7 plies (5.50 – 14.50 mm)	MALQ/P01-LF/016	July 2, 2007
						2. Concrete forming plywood	T-1 MUF, All Meranti; 5 & 7 plies (12.0 mm) Direction of use: Length, Width	MALQ/P02/016	
						3. Concrete forming plywood with surface finished	- T-1, Urethane coated concrete form plywood - T-1, Film Face Overlaid Concrete Formwork Plywood All Meranti; 5 & 7 plies (12.0 mm) Direction of use: Length, Width	MALQ/P03/016	
						4. Low formaldehyde structural plywood	T-S C-1 F☆☆☆☆ (PF) Al MLH; 3, 5 & 7 Plies (5.5 - 14.5 mm)	MALQ/P04-LF/016	Sep 15, 2011
11	PT ORIMBA ALAM KREASI	Capital Place, Lantai 28 Unit A, Jalan Jend. Gatot Subroto Kav. 18, Kelurahan Kuningan Barat, Kecamatan Mampang Prapatan,	Jl. Dr. Cipto Mangunkusumo, Desa/Kelurahan Sengkotek, Kecamatan Loa Janan Ilir, Kota Samarinda, Provinsi Kalimantan	Mr. Yusran Mustary, President Director	Plywood	1. Low Formaldehyde Emission Structural Plywood	TS C-2 F☆☆☆☆ (PF) All Meranti/MLH 5 (9.0 mm), 7 (12.0 mm), 9 (15.0 mm)	MALQ/P04-LF/025	July 12, 2017

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
		Kota Adm. Jakarta Selatan, Provinsi DKI Jakarta 12710, Republic of Indonesia	Timur, Republic of Indonesia			2. Plywood for General Use	- T-1 F☆☆☆☆ MUF (Catcher coating), All Meranti/MLH; 3 (2.5 - 5.5 mm), 5 (9.0 - 9.5 mm), 7 (12.0 mm), 9 (15.0 mm) - T-2 F☆☆☆☆ UF mixed MUF (Catcher coating), All Meranti/MLH; 3 (2.5 - 5.5 mm), 5 (9.0 - 9.5 mm), 7 (12.0 mm), 9 (15.0 mm)	MALQ/P01-LF/025	Jan 15, 2018
						3. Concrete Forming Plywood Low	T-1 (MUF), All Meranti/MLH 7 (12.0 mm), 9 (15.0 mm) Direction of use: Length	MALQ/P02/025	May 13, 2019
						4. Formaldehyde Emission Concrete Forming Plywood	T-1 F☆☆☆ (MUF), All Meranti/MLH 7 (12.0 mm), 9 (15.0 mm) Direction of use: Length	MALQ/P02-LF/025	
12	PT ERNA DJULIAWATI	Wisma 46 Lantai 37 - Kota BNI, Jl. Jendral Sudirman Kav. 1, Desa/Kelurahan Karet Tengsin, Kecamatan Tanah Abang, Kota Administrasi Jakarta Pusat, Provinsi DKI Jakarta 10220, Republic of Indonesia	Desa Sungai Muntik, Desa/Kelurahan Sungai Muntik, Kecamatan Kapuas, Kabupaten Sanggau, Provinsi Kalimantan Barat, Republic of Indonesia	Mr. David Lie, Director	Plywood	1. Plywood for general use	- T-1 F☆☆☆☆, F☆☆☆ (Catcher Coating) - T-2 F☆☆☆☆, F☆☆☆ (Catcher Coating) - T-1 F☆☆☆☆ (Phenol) - T-2 F☆☆☆☆ (Parallel Layer)	MALQ/P01-LF/030	Jun 12, 2012
						2. Low formaldehyde emission concrete forming plywood	F☆☆☆ (Melamine) F☆☆☆ (Phenol) Direction of use: Length	MALQ/P02-LF/030	Jun 12, 2012
						3. Low Formaldehyde Emission Structural Plywood	SP T-S C-2 F☆☆☆☆ (Phenol), All MLH; 5 plies, 7 plies, 9 plies	MALQ/P04-LF/030	Oct 11, 2022
					LVL	4. Laminated veneer lumber for Fixtures	F☆☆☆☆ (Urea)	MALQ/L01-LF/013	Nov 22, 2010

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
13	CENTRAL PANEL PRODUCTS SDN. BHD.	1st Floor No. 43, Bintulu City Mall Commercial Centre, Jalan Johari Sunam, Sibiew, P.O. BOX 785, 97000 Bintulu, Sarawak - Malaysia	Lot 184, 211, 216, Block 22, Buan Land District, Tatau, 97200 Bintulu, Sarawak, Malaysia	Mr. Tan Siang Aik, Executive Director	Plywood	1. Concrete forming plywood 2. Low formaldehyde emission concrete forming plywood 3. Low formaldehyde emission structural plywood	Melamine F☆☆☆ T1 Class-2 F☆☆☆☆ TS Class-2 F☆☆☆☆	MALQ/P02/031 MALQ/P02-LF/031 MALQ/P04-LF/031	Oct 28, 2010
14	PT SURYA SATRYA TIMUR	Jl. Teluk Betung No. 45 E Jakarta 10230 Republic of Indonesia	Jl. Ir. Pangeran Haji Mohammad Noor No. 99, Banjarmasin, South Kalimantan 70129, Republic of Indonesia	Mr. Andreas Ananto, President Director	Plywood	1. Plywood for general use	<u>Veneer Core</u>: - T-1 F☆☆☆☆, F☆☆☆ MF, MLH/Meranti; 3 – 13 plies (2.5 – 30.0mm) - T-1 F☆☆☆☆ MF (Coating Catcher), MLH/Meranti; 3 – 13 plies (2.5 – 30.0mm) - T-2 F☆☆☆☆, F☆☆☆ MUF, MLH/Meranti; 3 – 13 plies (2.5 – 30.0mm) - T-2 F☆☆☆☆ MUF (Coating Catcher), MLH/Meranti; 3 – 13 plies (2.5 – 30.0mm) <u>Lumber Core</u>: - T-2 F☆☆☆☆, F☆☆☆ MUF, MLH/Falcata; 5 plies (12.0 – 30.0mm) - T-2 F☆☆☆☆ MUF (Coating Catcher), MLH/Falcata; 5 plies (12.0 – 30.0mm)	MALQ/P01-LF/032	Apr 15, 2008

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
						2. Specially processed decorative plywood	- T-2 FW Type (Polyester) F☆☆☆☆, F☆☆☆ (1 Surface), All MLH; 3plies (2.5 – 5.5mm) - T-2 FW Type (Polyester Lumber Core) F☆☆☆☆ (Surface & Rear Surface), All MLH; 5 plies (12.0-30.0mm)	MALQ/P06-LF/032	
						3. Concrete Forming Plywood	Melamine Direction of use: Length	MALQ/P02/032	Oct 8, 2015
					LVL	4. Laminated veneer lumber	F☆☆☆☆ (Phenol) F☆☆☆☆ (Melamine)	MALQ/L01-LF /004	Apr 15, 2008
						5. Laminated veneer lumber with insect control treatment	F☆☆☆☆ (Bifenthrin)	MALQ/L01-LF-IR/004	
15	PT DHARMA SATYA NUSANTARA Tbk.TEMANGGUNG	GRHA DSN Jalan Pulo Ayang Kav. OR 3, Kawasan Industri Pulogadung, Desa/Kelurahan Jatinegara Kecamatan Cakung, Kota Adm. Jakarta Timur 13930 Provinsi DKI Jakarta, Republic of Indonesia	Jl. Raya Kranggan Pringsurat KM 1, Desa/Kelurahan Kranggan, Kecamatan Kranggan, Kabupaten Temanggung, Central Jawa, Republic of Indonesia	Mr. Arianto Oetomo, Director	Plywood	1. Plywood for general use	Lumber Core: - T-2 F☆☆☆☆ MUF (Catcher coating) Combi MLH & Falcata; 5 plies (12.0-30.0 mm) - T-2 F☆☆☆☆ MUF (Catcher Coating), All Falcata; 5 plies (12.0-30.0 mm) Veneer Core: - T-1 F☆☆☆☆ MF (Catcher Coating) Combi MLH-Falcata; 3 - 11 plies (2.5-30.0 mm) - T-1 F☆☆☆☆ MF (Catcher Coating) Combi MLH-Jabon; 5 plies (9.0 mm)	MALQ/P01-LF/034	May 28, 2008

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
							- T-1 F☆☆☆☆ MF (Catcher Coating) All Jabon; 3 - 7 plies (4.0-18.0 mm) - T-2 F☆☆☆☆ MUF (Catcher Coating) Combi MLH-Falcata; 3 - 11 plies (2.5-30.0 mm) - T-2 F☆☆☆☆ MUF (Catcher Coating) Combi Falcata-Jabon; 5 - 7 plies (5.5-12.0 mm) - T-2 F☆☆☆☆ MUF (Catcher Coating) Combi MLH-Jabon; 5 - 7 plies (9.0 & 15.0 mm) - T-2 F☆☆☆☆ MUF (Catcher Coating) All Falcata; 3 - 5 plies (2.5-12.0 mm) - T-2 F☆☆☆☆ MUF (Catcher Coating) All Jabon; 3 - 5 plies (4.0 - 18.0 mm) - T-2 F☆☆☆☆ MUF (Catcher Coating) Combi MLH-Falcata Parallel Layer; 5 plies (8.5 - 9.0 mm)		
						2. Low Formaldehyde Emission Structural Plywood	T-1 C2 F☆☆☆☆ MF (Catcher Coating), All Jabon; 5 plies (9.0 & 12.0 mm) 7 plies (12.0 & 15.0 mm)	MALQ/P04-LF/034	Feb 17, 2023
							SP TS C2 F☆☆☆☆ (PF) – All Jabon 5 plies (9.0 & 12.0 mm) 7 plies (15.0 mm) 9 plies (24.0 mm)		March 4, 2025

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
16	PT NANKAI INDONESIA	Jl. Mayjen Sungkono No. 21 - 23 Desa Gulomantung Kecamatan Kebomas, Kabupaten Gresik, East Java 61161, Republic of Indonesia	Jl. Mayjen Sungkono No. 21 - 23 Desa Gulomantung Kecamatan Kebomas, Kabupaten Gresik, East Java 61161, Republic of Indonesia	Mr. Tomohiro Hara, President Director	Plywood	Specially Processed Decorative Plywood	T-2 SW Type (Paper Overlay) F☆☆☆☆	MALQ/P06-LF/035	Jun 11, 2008
17	PT MUSTIKA BAHANA JAYA	Desa/Kelurahan Besuk, Kecamatan Tempeh, Kabupaten Lumajang, Provinsi Jawa Timur, 67371, Republic of Indonesia	Jl Raya Lumajang - Tempeh KM 7, Desa/Kelurahan Besuk, Kecamatan Tempeh, Kabupaten Lumajang, Provinsi Jawa Timur 67371, Republic of Indonesia	Mr. Sugeng Santoso, President Director	GLT	Glued laminated timber for fixtures	F☆☆☆☆ Pine and Rubberwood (14.5 – 45.0 mm)	MALQ/G01-LF/002	Aug 8, 2008
18	PT TANJUNG SELATAN MAKMUR JAYA	Kobexindo Tower LT. 5 Jl. Pasir Putih Raya Blok E-5-D, Ancol, Pademangan Desa/Kelurahan Ancol, Kecamatan Pademangan, Kota Adm. Jakarta Utara Provinsi DKI Jakarta 14430	Desa Beringin RT 010, Desa/Kelurahan Beringin, Kecamatan Alalak, Kabupaten Barito Kuala, Provinsi Kalimantan Selatan, Republic of Indonesia	Mr. Lee Don Yee, Director	Plywood	Plywood for general use	- T-1 F☆☆☆ MF - T-2 F☆☆☆ UF - T-1 F☆☆☆☆ MF (Catcher Coating) - T-2 F☆☆☆☆ UF (Catcher Coating) (All MLH; 3-7 (2.5 - 18.0 mm)	MALQ/P01-LF/036	Aug 8, 2008
19	PT KUTAI TIMBER INDONESIA	Tanjung Tembaga Baru, Desa/Kelurahan Mayangan, Kecamatan Mayangan, Kota Probolinggo, Provinsi Jawa Timur 67218, Republic of Indonesia	Jalan Tanjung Tembaga Baru, Desa/Kelurahan Mayangan, Kecamatan Mayangan, Kota Probolinggo, Provinsi Jawa Timur 67218, Republic of Indonesia	Mr. Amane Hatanaka, President Director	Plywood	1. Plywood for general use	<u>Veneer Core and Veneer Core Scarf Joint:</u> - OP T1 F☆☆☆☆, F☆☆☆ VC using Melamine, FB/SC/LC; MLH/FCT/JBN 3 to 11 plies (4.0 - 30.0mm) - OP T1 F☆☆☆☆, F☆☆☆ VC using Phenol, FB/SC/LC; MLH/JBN 3 to 7 plies (5.5 -15.0 mm) - OP T1 F☆☆☆☆, F☆☆☆ VC Scarf Joint, FB/SC/LC; MLH/Falcata 5 plies (9.0 – 12.0 mm) - OP T2 F☆☆☆☆, F☆☆☆ VC using Melamine-Urea, FB/SC/LC; MLH/FCT/JBN 3 to 11 plies (4.0 - 30.0mm) - OP T2 F☆☆☆☆, F☆☆☆ VC using Phenol, All MLH 5 plies (12.0 mm)	MALQ/P01-LF/037	Sep1, 2008

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
							- OP T2 F☆☆☆☆, F☆☆☆ VC Scarf Joint, FB/SC/LC; MLH/Falcata 3 to 7 plies (2.5 - 14.8 mm) <u>Lumber Core:</u> - T-2 F☆☆☆☆, F☆☆☆ (Catcher Spray) MLH/Falcata/Jabon; 5 plies (12.0 – 30.0 mm)		
							<u>Veneer Core with Laminated Processed & Parallel Layer:</u> - OP T2 F☆☆☆☆, F☆☆☆ (Catcher Spray) FB/SC/LC; MLH/Falcata/Falcata, 5 & 9 plies (9.0 & 12.0mm)		Apr 26, 2024
						2. Plywood for General Use with Insect Control Treatment	- T-2 F☆☆☆☆ (Catcher Spray), Cyphenothrin - T-1 F☆☆☆☆ (Scarf Joint Catcher Spray), Cyphenothrin - T-2 F☆☆☆☆ (Scarf Joint Catcher Spray), Cyphenothrin	MALQ/P01-LF-IR/037	Jan 3, 2020
						3. Concrete forming plywood	Melamine, All MLH; 5 plies (12.0 mm) Direction of use: Length	MALQ/P02/037	Mar 31, 2011
						4. Low Formaldehyde Emission Structural Plywood	- T-1 C-2 F☆☆☆☆ MF (Catcher Coating), All MLH; 5 plies (9.0 mm & 12.0 mm) 7 plies (15.0 & 18.0 mm) - T-S C-2 F☆☆☆☆ PF All MLH; 5 plies (9.0 mm & 12.0 mm), 7 plies (15.0 & 18.0 mm)	MALQ/P04-LF/037	Apr 14, 2011

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
						5. Low Formaldehyde Emission Structural Plywood with Insect Control Treatment	- T-1 C-2 F☆☆☆☆ MF (Catcher Coating) Bifenthrin, All MLH; 5 plies (12.0 mm), 7 plies (18.0 mm) - T-S C-2 F☆☆☆☆ PF Bifenthrin, Bifenthrin, All MLH; 5 plies (12.0 mm), 7 plies (18.0 mm	MALQ/P04-LF-IR/037	Apr 14, 2011
					LVL	6. Laminated veneer lumber for fixtures	F☆☆☆☆, F☆☆☆ F☆☆☆☆ (Catcher Spray) MLH/Falcata/Jabon 9.0 – 35.0 mm (5 – 11 plies)	MALQ/L01-LF/005	Sep1, 2008
						7. Laminated veneer lumber for fixtures with insect control treatment	- F☆☆☆☆, F☆☆☆ (MF) Phenytrothion - F☆☆☆☆ (MF) Catcher Spray Phenytrothion - F☆☆☆☆, F☆☆☆ (UF) Cyphenothrin - F☆☆☆☆ (UF) Catcher Spray, Cyphenothrin All MLH; 33.0 mm (11 plies)	MALQ/L01-LF-IR/005	Sep1, 2008
					GLT	8. Glued laminated timber for fixtures	F☆☆☆☆, F☆☆☆ Pinus Radiata (34.8mm)	MALQ/G01-LF/003	Sep1, 2008

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
20	PT INTRACAWOOD MANUFACTURING	Jl. Cikini Raya No. 78, Desa/Kelurahan Cikini Kecamatan Menteng, Kota Adm. Jakarta Pusat Provinsi DKI Jakarta 10330, Republic of Indonesia	Jl. Aki Pingka RT 13, Desa/Kelurahan Juata Permai, Kecamatan Tarakan Utara, Kota Tarakan, Provinsi Kalimantan Utara, Republic of Indonesia	Mr. Karuna Murdaya, Director	Plywood	1. Plywood for general use	Veneer Core: - T-1 F☆☆☆☆ PF, Meranti/Kapur/Keruing/MLH 3 - 11 plies (5.5 – 30.0 mm) - T-1 F☆☆☆☆ MF (Catcher coating), Meranti/Kapur/Keruing/MLH 3 - 11 plies (5.5 – 30.0 mm) - T-2 F☆☆☆ MUF, Meranti/Kapur/Keruing/MLH 3 - 11 plies (5.5 – 30.0 mm) - T-2 F☆☆☆☆ (Catcher coating), MUF, Meranti/Kapur/Keruing/MLH 3-11 plies (5.5 – 30.0 mm) - T-2 F☆☆☆☆ (Scarf joint) Lumber Core: - T-2 F☆☆☆☆ MUF FB/SC: Meranti/Kapur/ Keruing/MLH, LC : Meranti/Agathis/MLH, 5 plies (18.0 mm)	MALQ/P01-LF/038	Sep 23, 2008
						2. Concrete forming plywood	T-1 MF, Keruing/Kapur; 5 plies (12.0 mm)	MALQ/P02/038	
						3. Low formaldehyde emission structural plywood	- T-S C1 F☆☆☆☆ PF, Keruing/Kapur: 3, plies (5.0, 5.5 mm), 5 plies (9.0, 12.0 mm), 7 plies (15.0 mm) - T-S C2 F☆☆☆☆ PF, All MLH; 5 plies (9.0 & 12.0 mm), 7 plies (15.0 mm)	MALQ/P04-LF/038	
					LVL	4. Laminated veneer lumber for fixtures	F☆☆☆☆, F☆☆☆ Meranti/Jelutung 22.5 – 35.0 (9 -13 layers)	MALQ/L01-LF/006	Sep 23, 2008

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
21	PT SURA INDAH WOOD INDUSTRIES	Desa Tanjungan, Kecamatan Driyorejo, Kabupaten Gresik, Provinsi Jawa Timur 61177 Republic of Indonesia	Desa Tanjungan, Kecamatan Driyorejo, Kabupaten Gresik, Provinsi Jawa Timur 61177, Republic of Indonesia	Mr. Nobuyuki Miyazaki, President Director	GLT	1. Glued laminated timber for fixtures 2. Decorative glued laminated timber for fixtures	F☆☆☆☆ (Merkusii pine); 18.0 – 40.0mm F☆☆☆☆ (Manggo-Falcata); 33.6 mm	MALQ/G01-LF/004 MALQ/G02-LF/004	Jan 15, 2009
					Flooring	3. Flooring Board 4. Composite Flooring	F☆☆☆☆ (Merkusii pine); 15.0mm F☆☆☆☆ (Polyvinyl Acetate) 15.0mm	MALQ/F01-LF/001 MALQ/F07-LF/001	Feb 26, 2014
22	HUAIAN HUIHAO TIMBER CO., LTD.	No. 3 Dalian Road, Huaian Economic Development Area, Huaian City, Jiangsu Province 223005, China	No. 3 Dalian Road, Huaian Economic Development Area, Huaian City, Jiangsu Province 223005, China	Mr. Wang Wei Ping, President Director	LVL	1. Laminated veneer lumber for fixtures	F☆☆☆☆, F☆☆☆ (melamine) F☆☆☆☆, F☆☆☆ (phenol) Poplar, Pine & Eucalyptus 12.0 – 60.0 mm (7 - 33 layer)	MALQ/L01-LF/008	Jan 27, 2009
						2. Low Formaldehyde Emission Structural Laminated Veneer Lumber	Exposure condition-B & C F☆☆☆☆ Grade 1 - All Poplar 90E- 290F_{HV}, 45V – 38H 25.0 – 70.0 mm (14 - 38 layer) - Mixed Poplar & Eucalyptus 100E-320F_{HV}, 35V–30H 25.0 - 70.0 mm (15 – 41 layer)	MALQ/L02-LF/008	Oct 11, 2013
23	PT SUMBER GRAHA SEJAHTERA CABANG LUWU	Sampoerna Strategic Square, North Tower 21th Floor Jl. Jenderal Sudirman Kav. 45-46, Kelurahan Karet Semanggi Kecamatan Setia Budi Kota, Jakarta 12930, Republic of Indonesia	Jl. Andi Maradang, Desa Barowa, Kecamatan Bua, Kabupaten Luwu, Palopo, South Sulawesi 91991, Republic of Indonesia	Mr. Rudiyanto Tan, Director	Plywood	Plywood for general use	T-2 F☆☆☆☆ (Catcher Coating), 3, 5, 7 plies	MALQ/P01-LF/044	Feb 16, 2009

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
24	JIANGSU FUQING WOOD CO., LTD.	Qingyihu Industrial Zone, Shuyang, Jiangsu Province 223644, CHINA	Qingyihu Industrial Zone, Shuyang, Jiangsu Province 223644, CHINA	Mr. Chen Changfu, President Director	LVL	1. Laminated veneer lumber for fixtures	- F☆☆☆☆, F☆☆☆ (urea) - F☆☆☆☆ catcher spray (urea) - F☆☆☆☆, F☆☆☆ (phenol) - F☆☆☆☆ (urea) Eucalyptus	MALQ/L01-LF/009	Aug 10, 2009
							- F☆☆☆☆ catcher spray (Urea) All Pine - F☆☆☆☆ Catcher Spray (Urea), Mixed Pine & Poplar		Jan 10, 2022
						2. Low Formaldehyde Emission Structural Laminated Veneer Lumber	- Exposure condition-B & C F☆☆☆☆ Phenol, Grade 1, Mixed Poplar & Eucalyptus, 80E-255F_{HV}, 35V-30H - Exposure Condition-C F☆☆☆☆ Phenol, Grade1, 70E-225F_{HV}, 45V-38H	MALQ/L02-LF/009	Oct 8, 2012
							- Exposure Condition-C F☆☆☆☆, Phenol, Grade 1, All Poplar, 90E-290F_{HV}, 45V-38H		Jan 10, 2022
					Plywood	3. Low Formaldehyde Emission Structural Plywood	▪ TS C-2 F☆☆☆☆ Phenol (All Larch) 5 plies & 7 plies up	MALQ/P04-LF/115	June 15, 2022

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
							▪ T-S C2 F☆☆☆☆ Phenol (All Radiata Pine), 5 plies & 7 plies up ▪ T-S C2 F☆☆☆☆ Phenol (Mixed Larch & Radiata Pine) 5 plies & 7 plies up ▪ T-S C2 F☆☆☆☆ Phenol (Mixed Larch & Massonianna Pine), 5 plies & 7 plies up ▪ T-S C2 F☆☆☆☆ Phenol (Mixed Larch & Eucalyptus), 5 plies & 7 plies up ▪ T-S C2 F☆☆☆☆ Phenol (Mixed Radiata Pine & Eucalyptus), 5 plies & 7 plies up		July 20, 2022
25	DEVELOPMENT CO., LTD.	Bui Van Binh Street, Phu Loi Ward, Thu Dau Mot Town, Binh Duong Province, 84650, Vietnam	Bui Van Binh Street, Phu Loi Ward, Thu Dau Mot Town, Binh Duong Province, 84650, Vietnam	Mr. Nguyen Tien Dat, President Director	GLT	Glued Laminated Timber for Fixtures	F☆☆☆☆ 「Non-Formaldehyde Adhesive is used」	MALQ/G01-LF/006	Jun 4, 2010
26	LINYI DONGRI PLYWOOD CO., LTD.	West Section of Xinhua Road, Lanling County Development Zone, Linyi City, Shandong Province, China 277700	West Section of Xinhua Road, Lanling County Development Zone, Linyi City, Shandong Province, China 277700	Mr. Mitsuru Awaji, President Director	LVL	1. Laminated Veneer Lumber for Fixtures	F☆☆☆☆ Catcher Spray (Urea) F☆☆☆☆ (Phenol)	MALQ/L01-LF/012	Aug 10, 2010
					Plywood	2. Plywood for general use	T-2 F☆☆☆☆ Catcher Spray (Urea)	MALQ/P01-LF/077	Nov 12, 2013
						3. Low Formaldehyde Emission Structural Plywood	TS C-2 F☆☆☆☆ (Phenol), 5 plies (9 mm) & 7 plies (12 mm): Wood Species Combination: - F/B Radiata pine; C/CC: Eucalyptus - F/B Beech; C/CC: Eucalyptus	MALQ/P04-LF/077	Apr 10, 2023

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
27	PT KAYU LAPIS ASLI MURNI	Jl. Gajah Mada 3-5, Duta Merlin Blok A 48 Petojo Utara, Gambir, Desa/Kelurahan Petojo Utara, Kecamatan Gambir, Kota Administrasi Jakarta Pusat 10130, Provinsi DKI Jakarta, Republic of Indonesia	Jl. Ekonomi, Desa/Kelurahan Loa Buah, Kecamatan Sungai Kunjang, Kota Samarinda, Provinsi Kalimantan Timur, Republic of Indonesia	Mr. Sunardi Winarto, President Director	Plywood	1. Plywood for general use	- T-1 F☆☆☆☆ All MLH; 3 – 5 plies (2.5 – 30.0 mm) - T-1 F☆☆☆☆ (Catcher Coating), All MLH; 3 – 5 plies (2.5 – 30.0 mm) - T-2 F☆☆☆☆ All MLH; 3 – 5 plies (2.5 – 30.0 mm) - T-2 F☆☆☆☆ (Catcher Coating), All MLH; 3 – 5 plies (2.5 – 30.0 mm)	MALQ/P01-LF/048	Aug 10, 2010
							- T-2 F☆☆☆☆ (Catcher Spray), Combi MLH-Falcata; 3 – 13 plies (4.0 – 30.0 mm)		Apr 9, 2026
							- T-1 F☆☆☆☆ (Catcher Spray), Combi MLH-Falcata; 3 – 13 plies (4.0 – 30.0 mm)		Oct 20, 2026
					LVL	2. Laminated Veneer Lumber for Fixtures	F☆☆☆☆ (Urea Melamine), All MLH; 4.0 – 12.0 mm (5 – 7 layers)	MALQ/L01-LF/026	Aug 21, 2013
28	LIANYUNGANG GONGLIANG WOOD PRODUCTS CO., LTD.	Guannan Economic Development Area, Lianyungang City, Jiangsu Province, China	Guannan Economic Development Area, Lianyungang City, Jiangsu Province, China	Mrs. Sun Xian'E, President Director	LVL	1. Laminated Veneer Lumber for Fixtures	F☆☆☆☆ (Phenol) F☆☆☆☆ (Urea Catcher) F☆☆☆ (Urea)	MALQ/L01-LF/011	Aug 10, 2010
						2. Low Formaldehyde Emission Structural Laminated Veneer Lumber	Exposure condition-B & C F☆☆☆☆ Grade 1, All Poplar 90E, 45V – 38H All Eucalyptus 90E, 40V 34H Mixed Poplar & Eucalyptus 100E, 50V–43H	MALQ/L02-LF/011	Jan 4, 2013

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
29	PT SUMBER GRAHA SEJAHTERA CABANG JOMBANG	Sampoerna Strategic Square, North Tower, 21th Floor Jalan Jenderal Sudirman Kav. 45-46, Desa/Kelurahan Karet Semanggi, Kecamatan Setiabudi, Kota Adm. Jakarta Selatan, Provinsi DKI Jakarta 12930 Republic of Indonesia	Dusun Balangrejo, Desa/Kelurahan Diwek, Kecamatan Diwek, Kabupaten Jombang, Provinsi Jawa Timur, Republic of Indonesia	Mr. Andree Pamungkas, Director	Plywood	Plywood for General Use	- T-2 F☆☆☆☆,F☆☆☆ (Urea Melamine) - T-2 F☆☆☆☆ Urea Melamine (Catcher coating) - T-1 F☆☆☆☆ Melamine F/B:FCT/MLH, SC/LC: FCT 3 to 11 plies (3.0 - 18.0 mm)	MALQ/P01-LF/049	Dec 23, 2010
30	PT CENTRAL JAWA WOOD INDUSTRY	Jl. Tembus Kranggan Pringsurat KM. 03, Desa Nguwet Desa/Kelurahan Nguwet, Kecamatan Kranggan, Kabupaten Temanggung 56271, Central Java, Republic of Indonesia	Jl. Tembus Kranggan Pringsurat KM. 03, Desa Nguwet Desa/Kelurahan Nguwet, Kecamatan Kranggan, Kabupaten Temanggung 56271, Central Java, Republic of Indonesia	Mr. Lee Don Yee, President Director	Plywood	Plywood for General use	- T-1 F☆☆☆☆ Melamine (Catcher coating) - T-2 F☆☆☆☆ Urea-Melamine (Catcher coating) FCT; 3 -11 (3.0-18.0mm) MLH-FCT; 3-11 (3.0-18.0mm)	MALQ/P01-LF/050	Mar 8, 2011
31	PT DHARMA PUTRA KALIMANTAN SEJATI	Jl. Veteran 1-7, Kotamadya Samarinda, East Kalimantan 75111, The Republic Indonesia	Desa Tamban Kecil, Kecamatan Tamban, Kabupaten Barito Kuala, South Kalimantan 70566, Republic of Indonesia	Mr. Hermanto, President Director	Plywood	Plywood for General use	- T-2 F☆☆☆☆ Urea-Melamine (Catcher coating) - T-2 F☆☆☆ Urea-melamine All MLH: 3,5, 7,9 & 11 plies (2.5 – 14.5 mm)	MALQ/P01-LF/051	May 6, 2011

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
32	PT WANA CAHAYA NUGRAHA	Jl. Raya Klakah KM 316, Kelurahan Klakah, Kecamatan Klakah, Kabupaten Lumajang Provinsi Jawa Timur 67356, Republic of Indonesia	Jl. Raya Klakah KM 316, RT. 01, RW. 01, Kelurahan Klakah, Kecamatan Klakah, Kabupaten Lumajang,Provinsi Jawa Timur, Republic of Indonesia	Mr. Foniel Johan, President Director	Plywood	Plywood for general use	Veneer Core: - T-2 F☆☆☆☆ Urea-Melamine (Catcher Coating) - T-2 F☆☆☆ Urea-Melamine - T-1 F☆☆☆☆ Melamine (Catcher coating) - T-1 F☆☆☆ F/B; MLH/FCT, SC/LC; FCT 3 – 11 plies (4.0 – 24.0 mm) Lumber Core: T-2 F☆☆☆☆ (Catcher coating) F/B; MLH/FCT, SC/LC; FCT 5 plies (12.0 – 18.0 mm)	MALQ/P01-LF/054	June 10, 2011
33	LIANYUNGANG HUAFU MUYE CO., LTD.	Guannan County Economic Development Zone Lianyungang, Jiangsu Province 223500 China	Guannan County Economic Development Zone Lianyungang, Jiangsu Province 223500 China	Mr. Zhai Tong Jun, General Manager	LVL	Laminated veneer lumber for fixtures	F☆☆☆☆ (Urea) Inner/Outer; Poplar, Euc 15.0 – 45.0 mm (9 - 26 layers)	MALQ/L01-LF/015	July 7, 2011
34	SHUYANG YASEN JIUDELI WOOD CO., LTD.	Sha He Shi Village, Xian Guan Town, Shuyang County, Jiangsu Province 223500, China	Sha He Shi Village, Xian Guan Town, Shuyang County, Jiangsu Province 223500, China	Mr. Li Zhen Jiu, Director	LVL	1. Laminated Veneer Lumber for Fixtures	- F☆☆☆☆ Urea (Catcher Spray; 25.0 – 50.0 mm (15 – 28 layers) - F☆☆☆☆ (Phenol) ; 9.0 – 50.0 mm (5 – 23 layers) Inner: Poplar/Radiata Pine Outer: Poplar/Radiata Pine/Eucalyptus	MALQ/L01-LF/018	Oct 3, 2011
						2. Low Formaldehyde Emission Structural Laminated Veneer Lumber	Type A SLVL Exposure Condition B-C F☆☆☆☆ (Phenol), Grade-1, All Larch; 140E - 450F_{HV}, 60V-51H	MALQ/L02-LF/018	Jan 5, 2024

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
35	VIETWOOD INDUSTRIES JOINT STOCK COMPANY	An Dien Commune, Ben Cat Dist Binh Duong Province, Vietnam	An Dien Commune, Ben Cat Dist Binh Duong Province, Vietnam	Mr. Nguyen Van Nghe, General Director	GLT	Glued Laminated Timber for Fixtures	F☆☆☆☆	MALQ/G01-LF/007	Jan 4, 2012
36	PT. SINAR RIMBA PASIFIK	Jl. Manunggal Jati, Desa Jatikalang, Kelurahan Jatikalang, Kecamatan. Krian, Kabupaten Sidoarjo, Provinsi Jawa Timur 61262, Republic of Indonesia	Jl. Manunggal Jati, Desa Jatikalang, Kelurahan Jatikalang, Kecamatan. Krian, Kabupaten Sidoarjo, Provinsi Jawa Timur 61262, Republic of Indonesia	Mr. Masami Kitahashi, President Director	GLT	1. Glued Laminated Timber for Fixtures	F☆☆☆☆ (Rubber Wood); 23.0 & 30.0 mm	MALQ/G01-LF/008	March 6, 2012
						2. Decorative Glued Laminated Timber for Fixtures	F☆☆☆☆ (Rubber Wood); 30.3 & 35.3 mm	MALQ/G02-LF/008	Aug 19, 2015
					Flooring	3. Flooring Board	F☆☆☆☆ - Red Oak, Walnut, Cherry, Mahogany, Maple (12.0 & 15.0 mm) - Walnut, Cherry, Mahogany, Japan Walnut, Teak, Maple (15.0 mm) - Red Oak, White Oak, Ash (12.0 & 15.0 mm)	MALQ/F01-LF/002	Feb 26, 2014
						4. Flooring Block	F☆☆☆☆ Red Oak (12.0 mm)	MALQ/F02-LF/002	
						5. Composite Flooring	F☆☆☆☆ - Base material Plywood (White Oak, Red Oak, Walnut, Cherry, Mahogany, Japan Walnut, Ash, Teak, Maple); 12.0 mm - Base material GLT; 12.0 mm	MALQ/F07-LF/002	

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
37	PT. TATALESTARI RIMBABUANA	Jl. Raya Magelang-Purworejo Km.9, Desa/Kelurahan Tempurejo, Kecamatan Tempuran, Kabupaten Kabupaten Magelang, Provinsi Jawa Tengah 56161, Republic of Indonesia	Jl. Raya Magelang-Purworejo Km.9, Desa/Kelurahan Tempurejo, Kecamatan Tempuran, Kabupaten Magelang, Provinsi Jawa Tengah 56161, Republic of Indonesia	Mr. Paulus Harisudibjo, Director	Plywood	1. Plywood for general use	Veneer Core T-2 F☆☆☆☆ (MUF) - Combi MLH-Falcata; 3 - 11 plies (2.5 – 24.0 mm) - Combi Shina-Falcata, 3 - 11 plies (3.0 – 24.0 mm) Lumber Core T-2 F☆☆☆☆ (MUF) - Combi MLH-Falcata - Combi Shina-Falcata (5 plies, 12.0 – 30.0 mm)	MALQ/P01-LF/064	March 7, 2012
							Veneer Core T1 F☆☆☆☆ (MF) All Falcata,3 – 11 plies (2.5 – 24.0 mm)		Aug 9, 2024
					LVL	2. Laminated Veneer Lumber for Fixtures	F☆☆☆☆ (Urea) Inner: Falcata/Jabon Outer: Falcata/Jabon 18.0 - 50.0 mm (7 - 19 layers)	MALQ/L01-LF/019	March 7, 2012
38	GUANNAN HAOHAN WOOD CO., LTD.	Xuzhuang Village, Liji Town, Guannan County Jiangsu Province 222500 China	Xuzhuang Village, Liji Town, Guannan County Jiangsu Province 222500 China	Mr. Liu Mei Qing, General Manager	LVL	Laminated Veneer Lumber for Fixtures	F☆☆☆☆ Catcher (Urea) Inner: Poplar, Eucalyptus Outer: Poplar, Eucalyptus 11.8 – 60.0 mm (9 - 41 layers)	MALQ/L01-LF/020	July 9, 2012
39	EIDAI VIETNAM CO., LTD.	Dong Van Ⅱ Industrial Zone, Duy Ha Ward, Ninh Binh Province, Vietnam	Dong Van Ⅱ Industrial Zone, Duy Ha Ward, Ninh Binh Province, Vietnam	Mr. Takatsuki Eiichi, General Director	Flooring	Composite Flooring	F☆☆☆☆ (PVAc) Base Material: - Plywood (MLH, Euc): 12.0, 15.0 mm. - Plywood + MDF: 12.0 mm - GLT: 12.0 mm	MALQ/F07-LF/004	Feb 26, 2014
40	FOOTHILL LVL AND PLYWOOD (LINYI)CO., LTD	East Side, North of Xihuan Road Industrial Field of Lanling County Linyi City, Shandong Province, China	East Side, North of Xihuan Road Industrial Field of Lanling County Linyi City, Shandong Province, China	Mr. Zhang Bo, Director	LVL	1. Laminated Veneer Lumber for Fixtures	F☆☆☆☆ (Phenol) F☆☆☆☆ Catcher (Urea) Inner: Poplar, Pine, MLH Outer: Poplar 7.0 - 63.5 mm (5 - 36 plies)	MALQ/L01-LF/022	22 Jan 2013

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
						2. Low Formaldehyde Emission Structural Laminated Veneer Lumber	Type A SLVL, Exposure condition-B & C F☆☆☆☆ Grade 1, All Poplar 90E-290F, 45V – 38H 45.0-90.0 mm (20-39 plies)	MALQ/L02-LF/022	Oct 28, 2019
41	JIANGSU SHANCONG WOOD CO., LTD	Liji Street, Liji Town, Guannan County, Jiangsu Province, China	Liji Street, Liji Town, Guannan County, Jiangsu Province, China	Ms. Cai Cong Hui, President	LVL	1. Laminated Veneer Lumber for Fixtures	F☆☆☆ Catcher (Urea) F☆☆☆☆ Catcher (Urea) F☆☆☆☆ (Phenol)	MALQ/L01-LF/025	June 19, 2013
						2. Low Formaldehyde Emission Structural Laminated Veneer Lumber	Type A SLVL, Exposure condition-B & C F☆☆☆☆ Grade-1, All Eucalyptus, 100E, 35V–30H	MALQ/L02-LF/025	Mar 10, 2015
42	GUANNAN YINDELONG WOOD CO., LTD	Guannan Economic Development Zone, Tongzhou Road and Zhuhai Road Interchange, Lianyungang City, Jiangsu Province, China	Guannan Economic Development Zone, Tongzhou Road and Zhuhai Road Interchange, Lianyungang City, Jiangsu Province, China	Mr. Li Yingchao, General Manager	LVL	Laminated Veneer Lumber for Fixtures	F☆☆☆☆ Catcher Spray (Urea) Inner: Poplar/Eucalyptus Outer: Poplar/Eucalytus 11.8 – 60.0 mm (9 - 41 layers)	MALQ/L01-LF/024	June 19, 2013
43	PT SENG FONG MOULDING PERKASA	Jl. Prof. Dr. Nurcholish Madjid. 173 Tunggorono, Jombang, East Java 61419, Republic of Indonesia	Jl. Prof. Dr. Nurcholish Madjid. 173 Tunggorono, Jombang, East Java 61419, Republic of Indonesia	Mrs. Goh Siow Yen, Director	Flooring	Flooring Board Composite Flooring	F☆☆☆☆ F☆☆☆☆	MALQ/F01-LF/005 MALQ/F07-LF/005	Feb 26, 2014
44	TAIZHOU KEMIAN INDUSTRIAL DEVELOPMENT CO., LTD	Shugang North Road 7, Yongan Continent Town, Gaogang Area, Taizhou City, Jiangsu Province, China	Shugang North Road 7, Yongan Continent Town, Gaogang Area, Taizhou City, Jiangsu Province, China	Mr. Guo Junwei, President	LVL	Low Formaldehyde Emission Structural Laminated Veneer Lumber	Type A SLVL, Exposure condition-A F☆☆☆☆(Phenol) Grade-S, Larch, 140E-525F_{HV}, 50V–43H	MALQ/L02-LF/030	May 7, 2014

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
							Type A SLVL, Exposure Condition-B F☆☆☆☆ (Phenol), Grade-1, Radiata pine, 100E-320F_{HV}, 40V-34H Type A SLVL, Exposure Condition-B F☆☆☆☆ (Phenol), Grade-1, Combination Radiata Pine & Larch, 120E-385F_{HV}, 45V-38H		June 25, 2021
45	PT GRESIK PRIMA UTAMA	Jl. Raya Wringinanom KM 30,6 Desa/Kelurahan Sumengko, Kecamatan Wringinanom, Kabupaten Gresik Provinsi Jawa Timur 61175, Republic of ndonesia	Jl. Raya Wringinanom KM 30,6 Desa/Kelurahan Sumengko, Kecamatan Wringinanom, Kabupaten Gresik Provinsi Jawa Timur 61175, Republic of Indonesia	Mr. Latif Kuswanto, President Director	Plywood	Specially processed decorative plywood	- T-2 FW Type (Polyester Veneer Core) F☆☆☆☆ Single Face (2.5 - 5.5 mm) - T-2 FW Type (Polyester Lumber Core) F☆☆☆☆ Single and Double Face 12.0 – 30.0 mm	MALQ/P06-LF/080	Sep 19, 2014
46	PT SEMERU MAKMUR KAYUNUSA	Jl. Raya Klakah KM. 3, Desa/ Kelurahan Kebonan, Kecamatan Klakah, Kabupaten Lumajang, Provinsi Jawa Timur 67356, Republic of Indonesia	Jl. Raya Klakah KM. 3, Desa/Kelurahan Kebonan, Kecamatan Klakah, Kabupaten Lumajang, Provinsi Jawa Timur 67356, Republic of Indonesia	Mr. Tjindro Purnomo, President Director	Plywood	1. Plywood for General Use	T-1 F☆☆☆☆ Catcher Coating): - Combi MLH & Falcata, 3 - 7 plies (2.5. - 12.0 mm) - All Falcata, 3 – 7 plies (4.0 - 12.0 mm) - Combi Jabon & Falcata; 3 - 7 plies (4.0. - 12.0 mm) - Combi MLH-FCT-Jabon; 7 plies (12.0 mm) - Combi MLH-FCT-MLH; 7 plies (12.0 mm) - Combi FCT-MLH-FCT; 3 plies (4.0 mm), 7 plies (12.0 mm) - All Jabon; 5 plies (9.0 mm), 7 plies (12.0 mm) - Combi Jabon-FCT; 3 plies (4.0 mm), 7 plies (12.0 mm)	MALQ/P01-LF/081	Jan 14, 2015

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
							T-2 F☆☆☆☆ Catcher Coating): - Combi MLH & Falcata, 3 - 7 plies (2.5. - 12.0 mm) - All Falcata, 3 – 7 plies (4.0 - 12.0 mm) - Combi Jabon & Falcata; 3 - 7 plies (4.0. - 12.0 mm) - Combi MLH-FCT-Jabon; 5plies (5.5 mm) - Combi MLH-FCT-MLH; 5 plies (5.5 mm) - Combi FCT-MLH-FCT; 3plies (4.0 mm), 5 plies (9.0 mm) - All Jabon; 3 plies (4.0 mm), 7 plies (12.0 mm) - Combi Jabon-FCT; 3 plies (4.0 mm), 5 plies (9.0 mm)		
						2. Low Formaldehyde Emission Structural Plywood	T-1 Class 2 F☆☆☆☆ All Falcata; 7 plies (12.0. mm)	MALQ/P04-LF/081	Nov 8, 2018
47	LAN LING BRANCH OF NAZE WOOD OF LINYI LTD.	20 meters south of Foothill Wood, East Side North of Xihuan Road, Industrial Field Lanling, Linyi City, Shandong Province, China	20 meters south of Foothill Wood, East Side North of Xihuan Road, Industrial Field Lanling, Linyi City, Shandong Province, China	Mr. Zhang Bo, President Director	LVL	Low Formaldehyde Emission Structural Laminated Veneer Lumber	Type A SLVL, Exposure Condition-C F☆☆☆☆ (Phenol) Grade-1, All Poplar, 90E-290F_{HV}, 45V-38H Partial compression Property 90B	MALQ/L02-LF/039	Jun 11, 2021
48	PT KAYU SENGON INDUSTRI	Jl. Soekarno Hatta Km 32, Kelurahan Harjosari Kecamatan Bawen, Kabupaten Semarang, Central Jawa 50661 Republic of Indonesia	Jl. Soekarno Hatta Km 32, Kelurahan Harjosari, Kecamatan Bawen, Kabupaten Semarang, Central Jawa 50661, Republic of Indonesia	Mr. Sie Velly Ongkowijoyo, Director	Plywood	Plywood for General Use	Lumber Core: - T-2 F☆☆☆☆ - T-2 F☆☆☆☆ (Catcher coating) F/B: MLH, SC/LC: Falcata 5 plies (12.0 - 30.0 mm)	MALQ/P01-LF/083	Jul 6, 2015

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
49	PT INDO FURNITAMA RAYA	DS. Gerongan, Kraton Desa/Kelurahan Gerongan, Kecamatan Kraton, Kabupaten Pasuruan 67151, Provinsi Jawa Timur, Republic of Indonesia	Desa Gerongan, Kraton, Pasuruan, Desa/Kelurahan Gerongan, Kecamatan Kraton, Kabupaten Pasuruan, Provinsi Jawa Timur 67151, Republic of Indonesia	Mr. Abdurrachman Assegaf, Director	Plywood	Plywood for General Use	Veneer Core: T-2 F☆☆☆☆ Catcher coating Combi MLH/Sengon (Falcata) & Sengon (Falcata); 3 - 7 plies (2.5 – 12.0 mm) Lumber Core: T-2 F☆☆☆☆ Catcher coating Combi MLH/Sengon (Falcata) & Sengon (Falcata); 5 plies (12.0 – 30.0 mm)	MALQ/P01-LF/084	Sep 15, 2015
50	PT KARUNIA REJEKI ABADI	JL. RAYA GRESIK-BABAT KM. 58,3, Desa/Kelurahan Paji, Kecamatan Pucuk, Kabupaten Lamongan, Provinsi Jawa Timur, Republic of Indonesia	JL. RAYA GRESIK-BABAT KM. 58,3, Desa/Kelurahan Paji, Kecamatan Pucuk, Kabupaten Lamongan, Provinsi Jawa Timur, Republic of Indonesia	Mr. Vinsent Leonardi, Director	Plywood	Plywood for General Use	Veneer Core: T-2 F☆☆☆☆ F/B: MLH/FCT, SC/LC: FCT 3 – 11 plies (2.7 – 24.0 mm) Lumber Core: T-2 F☆☆☆☆ F/B: MLH/FCT, SC/LC: FCT 5 plies (12.0 – 30.0 mm)	MALQ/P01-LF/086	Oct 22, 2015
51	PT RIMBAWANA AGUNG PRATAMA	Jalan Sidodadi Timur No. 22, Desa/Kelurahan Karangtempel, Kecamatan Semarang Timur, Kota Semarang, Provinsi Jawa Tengah 50124, Republic of Indonesia	Jl. Raya Semarang - Purwodadi KM 18, Desa/Kelurahan Karangawen, Kecamatan Karangawen, Kabupaten Demak, Provinsi Jawa Tengah 59566, Republic of Indonesia	Mr. Pieter Sit, Director	Plywood	1 Plywood for General Use	T-2 F☆☆☆☆ F/B: MLH/Radiata pine SC/LC: MLH/Falcata 3 – 11 plies up (3.0-24.0 mm	MALQ/P01-LF/088	Jun 13, 2016
						2 Low Formaldehyde Emission Structural Plywood	TS C-2 F☆☆☆☆ (Phenol) Mixed MLH & Jabon; 5 plies, 7 plies	MALQ/P04-LF/088	Oct 12, 2022
						3. Low Formaldehyde Emission Concrete Formwork Plywood	CP F☆☆☆ (Melamine Formaldehyde) Lengthwise Direction of Bending All MLH; 7 & 9 plies (12.0 & 15.0 mm)	MALQ/P02-LF/088	Sep 15, 2026

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
52	PT BASIRIH INDUSTRIAL	Capital Place Lantai 28 Unit B, Jalan Jend. Gatot Subroto Kav. 18, Kelurahan Kuningan Barat, Kecamatan Mampang Prapatan, Kota Adm. Jakarta Selatan, Provinsi DKI Jakarta, Republic of Indonesia	Jl. Telaga Biru Trisakti Komplek YUKA No. 25 RT 002, Desa/Kelurahan Basirih, Kecamatan Banjarmasin Barat, Kota Banjarmasin, Provinsi Kalimantan Selatan 70245, Republic of Indonesia	Mr. Soeherman Tadjuddin, President Director	Plywood	1. Plywood for General Use	T-2 F☆☆☆☆ (Catcher Coating) T-2 F☆☆☆ (Catcher Coating) T-1 F☆☆☆☆ (Catcher Coating) 3 plies, 5 plies, 7 plies T-2 F☆☆☆☆ (Catcher Coating), Combination Veneer T-1 F☆☆☆☆ (Catcher Coating), Combination Veneer	MALQ/P01-LF/089	Jun 16, 2016
							T-2 F☆☆☆☆ (Catcher Coating) 3 plies, 5 plies, 7 plies up: All Jabon T-2 F☆☆☆☆ (Catcher Coating) 3 plies, 5 plies, 7 plies up Combination veneer (Jabon & Falcata)		Aug 23, 2021
						2. Low Formaldehyde Emission Structural Plywood	T-S C-2 F☆☆☆☆	MALQ/P04-LF/089	May 13, 2019
53	ASIA GREEN WOOD SDN. BHD.	Plot 35-38, Kawasan Perusahaan Bukit Selambau 08010 Sungai Petani, Kedah Darul Aman, Malaysia	Plot 35-38, Kawasan Perusahaan Bukit Selambau 08010 Sungai Petani, Kedah Darul Aman, Malaysia	Mr. Mike Chong Lee Chuin, Management Representative	Plywood	1. Low Formaldehyde Structural Plywood	TS C-2 F☆☆☆☆ (5 and 7 Plies)	MALQ/P04-LF/090	Feb 20, 2017
						2. Plywood for General Use	T-2 F☆☆☆☆ (Phenol Melamine Urea Formaldehyde) T-1 F☆☆☆☆ (Phenol Melamine Urea Formaldehyde)	MALQ/P01-LF/090	Oct 18, 2017
						3. Concrete Forming Plywood	Phenol Melamine Urea Direction of use: Length, Width	MALQ/P02/090	
						4. Low Formaldehyde Emission Concrete Forming plywood	F☆☆☆ (Phenol Melamine Urea Formaldehyde) Direction of use: Length	MALQ/P02-LF/090	

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
54	PT BERKAT KARUNIA SURYA	Jl. Dr. Husein Kartasasmita, Lingkungan Cisauheun Desa/Kelurahan Situbatu, Kecamatan Banjar, Kota Banjar, Provinsi Jawa Barat 46314, Republic of Indonesia	Jl. Dr. Husein Kartasasmita, Lingkungan Cisauheun RT. 020 RW. 007, Desa/Kelurahan Situbatu, Kecamatan Banjar, Kota Banjar, Provinsi Jawa Barat 46314, Republic of Indonesia	Mr. Panlie Gunawan, Director	Plywood	1. Plywood for General Use	- T-1 F☆☆☆☆ Catcher Coating F/B: Falcata/Jabon, C/CC: Falcata/Jabon F/B: MLH, C/CC: Falcata/Jabon - T-2 F☆☆☆☆ Catcher Coating F/B: Jabon, C/CC: Falcata/Jabon	MALQ/P01-LF/092	Oct 16, 2017
							- T-1 F☆☆☆☆ (Catcher Coating) – 5 & 7 ply up F/B: Mahoni, C/CC: Jabon/ Falcata - T-2 F☆☆☆☆ (Catcher Coating) – 3, 5 & 7 ply up F/B: Mahoni, C/CC: Jabon/ Falcata		Nov 24, 2020
							- T-1 F☆☆☆☆ Coating Catcher; 3, 5 & 7 plies - T-2 F☆☆☆☆ Coating Catcher; 3, 5 & 7 plies Wood species: F/B: Gmelina/ Afrika/ Meranti, Core: Gmelina/ Mahoni/ Afrika CC: Jabon		Apr 10, 2023

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
							- T-1 F☆☆☆☆ Coating Catcher - T-2 F☆☆☆☆ Coating Catcher Thickness & Ply: 2.5 – 24.0mm & 3 – 11 plies Wood species: F/B & LC: Kandis, Lada, Rengas, Kerbang,Talas, Sembayur, Cempaka, Durian, Bayur, Nerantang SC: Falcata		Oct 18, 2024
						2. Low Formaldehyde Emission Structural Plywood	TS C-2 F☆☆☆☆ (Phenol); 5 plies (9 mm) & 7 plies (12 mm) - F/B Gmelina; Core Kayu Afrika & Longcore Mahoni - F/B Jabon; Core Mahoni & Longcore Kayu Afrika - F/B Mahoni; Core Kayu Afrika & Longcore Mahoni	MALQ/P04-LF/092	Apr 6, 2023
55	SUQIAN SULU WOOD CO., LTD.,	Changnan Village Machang Town, Shuyang County, Suqian City, Jiangsu Province 223621, China	Changnan Village Machang Town, Shuyang County, Suqian City, Jiangsu Province 223621, China	Mr. Li Gang, General Manager	LVL	LVL for Fixtures	F☆☆☆☆ Melamine Urea (Catcher coating) Poplar, Pine, Eucalyptus 10 - 25 plies (17 – 41mm)	MALQ/L01-LF/033	Jan 15, 2018

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
56	PT CIPTA WIJAYA MANDIRI	Jl. Semarang - Purwodadi KM. 16,5 No. 349, Desa/Kelurahan Kembangarum, Kecamatan Mranggen, Kabupaten Demak, Provinsi Jawa Tengah 59567, Republik Indonesia	Jl. Semarang - Purwodadi KM. 16,5 No. 349, Desa/Kelurahan Kembangarum, Kecamatan Mranggen, Kabupaten Demak, Provinsi Jawa Tengah, 59567, Republik Indonesia	Mr. Agus Soewito, President Director	Plywood	Plywood for General Use	- T-1 F☆☆☆☆ (MF) Combi MLH-FCT: 3 - 13 plies (2.5 – 24.0mm) - T-1 F☆☆☆☆ (MF) All MLH: 3 – 7 plies (4.0 – 12.0 mm) - T-1 F☆☆☆☆ (MF) Combi MLH, Jabon-FCT; 3 – 13 plies (2.5 – 24.0 mm) - T-2 F☆☆☆☆ (MUF) Combi MLH-FCT: 3 - 13 plies (2.5 – 24.0mm) - T-2 F☆☆☆☆ (MUF) All MLH: 3 – 7 plies (4.0 – 12.0 mm) - T-2 F☆☆☆☆ (MUF) Combi MLH, Jabon-FCT; 3 – 13 plies (2.5 – 24.0 mm)	MALQ/P01-LF/095	Aug 9, 2018
57	PT GEMA LESTARI INDONESIA	Jl. Romokalisari (TPI) No. 28 FGH Surabaya, Kota Surabaya, Provinsi Jawa Timur, Republic of Indonesia	Jl. Raya Tempeh KM. 7 RT. 17 RW 03, Desa/Kelurahan Besuk, Kecamatan Tempeh, Kabupaten Lumajang 67371, Provinsi Jawa Timur, Republic of Indonesia	Mr. Eric Ferdinand Jacob, Director	Plywood	1. Plywood for General Use	- T-2 F☆☆☆☆ (Coating Catcher) All FCT; 3 - 9 plies (2.5 – 15.0 mm) - T-2 F☆☆☆☆ (Coating Catcher) Combi FCT- MLH; 3 - 13 plies (2.5 – 24.0 mm) - T-1 F☆☆☆☆ (Coating Catcher) All FCT; 3 - 9 plies (4.0 – 15.0 mm) - T-1 F☆☆☆☆ (Coating Catcher) All MLH; 3 - 13 plies (4.0 – 24.0 mm)	MALQ/P01-LF/097	Nov 5, 2018
							- T-1 F☆☆☆☆ (Coating Catcher) Combi MLH-FCT; 3 - 13 plies (2.5 – 24.0mm) - T-2 F☆☆☆☆ (Coating Catcher) All MLH; 3 – 13 plies (2.5 – 24.0 mm)		OCT 24, 2025
						2. Low Formaldehyde Emission Concrete Forming Plywood	F☆☆☆ (Melamine) MLH, 7 plies	MALQ/P02-LF/097	Feb 25, 2019

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
58	PT KARYABHAKTI MANUNGGAL	Jl. Sultan Agung No. 83, Semarang 50232, Central Java, Republic of Indonesia	Jl. Medan KM 7,5 No.168 Pematang siantar 21137, North Sumatera, Republic of Indonesia	Mr. Budi Santoso Taruna Sembodo, Director	GLT	Glued Laminated Timber for Fixtures	F☆☆☆☆ (PVAc) Pinus merkusii (Merkus pine) Pinus radiata (Radiata pine) Thickness: 15 – 45 mm	MALQ/G01-LF/011	Jan 21, 2019
59	BESGRADE PLYWOOD SDN.BHD.	Batu 10, Jalan Pokok Sena, Mukim Jabi, 06400 Alor Setar, Kedah Malaysia	Batu 10, Jalan Pokok Sena, Mukim Jabi, 06400 Alor Setar, Kedah Malaysia	Mr. Pek Woei Shyong, Managing Director	Plywood	1. Plywood for General Use	T-1 F☆☆☆☆ (MUF) 5, 7, 9 & 11 plies (8.5 – 24.0 mm) T-2 F☆☆☆☆ (MUF) 5, 7, 9 & 11 plies (8.5 – 24.0 mm)	MALQ/P01-LF/098	Feb 7, 2019
						2. Concrete Forming Plywood	Melamine Urea (5 plies, 7 plies up), All MLH; 7 plies (12.0, 15.0 mm) Direction of use: Length	MALQ/P02/098	
						3. Low Formaldehyde Emission Concrete Forming Plywood	F☆☆☆ (5 plies, 7 plies up) All MLH; 7 plies (12.0, 15.0 mm) Direction of use: Length	MALQ/P02-LF/098	
						4. Low Formaldehyde Emission Structural Plywood	T-S C2 F☆☆☆☆ (PF) 5 plies (9.0 mm) 7 plies (12.0 & 15.0 mm)	MALQ/P04-LF/098	
60	INTEGRATED WOOD PROCESSING SDN. BHD	Building No. 6600 Jalan ITC, Sungai Imam, KM 11, Pasir Putih, 91008, Tawau, Sabah, Malaysia	Building No. 6600 Jalan ITC, Sungai Imam, KM 11, Pasir Putih, 91008, Tawau, Sabah, Malaysia	Mr. Simon Che Wai Law, President Director	Plywood	1. Plywood for General Use	- T-1 F☆☆☆☆ (MF), All MLH; 3 – 7 plies (2.5 – 18.0 mm) - T-2 F☆☆☆☆ (UF), All MLH; 3 – 7 plies (2.5 – 18.0 mm)	MALQ/P01-LF/099	Mar 5, 2019
						2. Concrete Forming Plywood	Melamine-Urea All MLH 5 plies (12.0 mm), 7 plies (15.0 & 18.0 mm) Direction of use: Length	MALQ/P02/099	
						3. Low Formaldehyde Emission Concrete Forming Plywood	F☆☆☆ (Melamine Urea) All MLH 5 plies (12.0 mm), 7 plies (15.0 & 18.0 mm) Direction of use: Length	MALQ/P03-LF/099	

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
						4. Low Formaldehyde Emission Structural Plywood	T-S C2 F☆☆☆☆,(PF) All MLH; 5 plies (9.0 & 12.0 mm), 7 plies (15.0 mm), 9 plies (24.0 mm)	MALQ/P04-LF/099	
							T-1 C2 F☆☆☆☆, (MUF) All MLH; 5 plies (9.0 & 12.0 mm), 7 plies (15.0 mm), 9 plies (24.0 mm)		Feb 17, 2023
61	PT PRIMA WANA KREASI WOOD INDUSTRY	Jl. Bangka Raya No. 29 A, Pela Mampang, Mampang/Prapatan, Desa/Kelurahan Pela Mampang, Kecamatan Mampang Prapatan, Kota Adm. Jakarta Selatan, Provinsi DKI Jakarta, 12720, Republic of Indonesia	Jl. Raya Tembus Pringsurat – Kranggan KM 3,5, Desa/Kelurahan Kupen, Kecamatan Pringsurat, Kabupaten Temanggung 56272, Provinsi Jawa Tengah, Republic of Indonesia	Mr. Martin Albert Sulistio, Director	Plywood	Plywood for General Use	- T-2 F☆☆☆☆ (VC) Catcher Coating, Combi MLH & Falcata; 3 – 13 plies (2.5 - 30.0 mm) - T-2 F☆☆☆☆ (LC) Catcher Coating, Combi MLH & Falcata; 5 plies (12.0 - 30.0 mm)	MALQ/P01-LF/100	Mar 25, 2019
							- T-2 F☆☆☆☆ (VC) Catcher Coating, All Falcata; 3 -13 plies (2.5 – 30.0 mm) - T-2 F☆☆☆☆ (LC) Catcher Coating, All Falcata; 5 plies (12.0 – 30.0 mm)		July 29, 2020
							- T-2 F☆☆☆☆ (LC) Catcher coating, Combi Shina & Falcata; 5 plies (12.0 – 30.0 mm)		Jan 8, 2021
							- T-2 F☆☆☆☆ (VC) Catcher Coating, Combi Shina & Falcata; 3 - 13 plies (3.0 - 30.0 mm) - T-2 F☆☆☆☆ (VC) Catcher coating, Combi Okoume/MLH & MLH, Mahoni, Jabon; 3 – 13 plies (3.0 – 30.0 mm) - T-2 F☆☆☆☆ (VC) Catcher coating, Combi Okoume & Falcata; 3 plies (3.0 & 4.0 mm)		Sep 25, 2026

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
62	PT SUMBER KARINDO SAKTI	Jalan Ciputat Raya No. 8 F, Desa/Kelurahan Pondok Pinang, Kecamatan Kebayoran Lama, Kota Adm. Jakarta Selatan 12310, DKI Jakarta Province, Republic of Indonesia	Jl. Pagurawan KM 11, Desa/Kelurahan Penggalangan, Kecamatan Tebing Syahbandar, Kabupaten Serdang Bedagai 20998, North Sumatera, Republic of Indonesia	Mr. Ir. Sindu Pudyatmoko, President Director	GLT	GLT for Fixtures	F☆☆☆☆ (Pine Wood) F☆☆☆☆ (Rubber Wood)	MALQ/G01-LF/012	Apr 5, 2019
63	PT MUSTIKA BUANA SEJAHTERA	Jl. Lumajang – Tempeh Km. 7 Lumajang 67371, East Java, Republic Indonesia	Jl. Lumajang – Tempeh Km. 7 Lumajang 67371, East Java, Republic Indonesia	Mr. Ir. Sindu Pudyatmoko, President Director	Plywood	Plywood for General Use	T2 F☆☆☆☆ (Lumber Core) Combi MLH-FCT 5 plies (12.0 - 30.0 mm)	MALQ/P01-LF/101	May 13, 2019
64	PT ALAM CITRA LESTARI	Kawasan Industri Candi Blok 11-A. Nomor 7, Jalan Gatot Subroto Desa/Kelurahan Bambankerep, Kecamatan Ngaliyan, Kota Semarang, Provinsi Jawa Tengah 50211, Republic of Indonesia	Jl. Gatot Subroto Kawasan Industri Candi Blok 11-A No.7, Desa/Kelurahan Bambankerep, Kecamatan Ngaliyan,Kota Semarang, Provinsi Jawa Tengah 50211, Republic of Indonesia	Mr. Albert Santoso, Director	Plywood	Plywood for General Use	- T-2 F☆☆☆☆ MUF (All Jabon) 3 - 11 plies (4.0 – 21.0 mm) - T-1 F☆☆☆☆ MF (All Jabon) 5 - 11 plies (5.5 – 21.0 mm)	MALQ/P01-LF/102	Jul 8, 2019 Oct 23, 2020
65	PT SINAR WIJAYA PLYWOOD INDUSTRIES	Jl. Gajah Mada, Desa/Kelurahan Serui Kota, Kecamatan Yapen Selatan, Kabupaten Kepulauan Yapen, Provinsi Papua, Republic of Indonesia	Jalan Trans Serui – Dawai, Desa/Kelurahan Awunawai, Kecamatan Yapen Timur, Kabupaten Kepulauan Yapen, Provinsi Papua, Republic of Indonesia	Mr. Sapto Joyo Wijoyo, President Director	Plywood	1. Plywood for General Use	- T-1 F☆☆☆☆ MUF (Catcher coating) All MLH; 3 – 7 plies (3.5 – 15.0 mm) - T-2 F☆☆☆☆ UF+MUF (Catcher Coating) 3 – 7 plies (3.5 – 15.0 mm)	MALQ/P01-LF/103	Aug 12, 2019
						2. Concrete Forming Plywood	MUF All MLH; 5 plies (12.0 mm), 7 plies (15.0 mm) Direction of use: Length	MALQ/P02/103	
						3. Low Formaldehyde Emission Concrete	F☆☆☆ (MUF) All MLH; 5 plies (12.0 mm), 7 plies (15.0 mm) Direction of use: Length	MALQ/P02-LF/103	
						4. Forming Plywood Low Formaldehyde Emission Structural Plywood	T-S C2 F☆☆☆☆ (PF) All MLH; 5 plies (12.0 mm), 7 Plies (15.0 mm)	MALQ/P04-LF/103	

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
66	PT KAYAN WOOD INDUSTRIES	JL. RAYA GRESIK-BABAT KM. 58,3, Desa/Kelurahan Paji, Kecamatan Pucuk, Kabupaten Lamongan, Provinsi Jawa Timur Republic of Indonesia	JL. RAYA GRESIK-BABAT KM. 58,3, Desa/Kelurahan Paji, Kecamatan Pucuk, Kabupaten Lamongan, Provinsi Jawa Timur, Republic of Indonesia	Mr. Latif Kuswanto, Director	Plywood	1. Plywood for General Use	<u>Veneer Core</u>: - T-1 F☆☆☆☆ MF (Catcher Spray) All MLH (3 - 13 Plies); 2.5 – 30.0 mm - T-1 F☆☆☆☆ MF (Catcher Spray) Combi MLH & Falcata (3 - 7 Plies); 2.5 – 15.0 mm - T-2 F☆☆☆☆ MF (Catcher Spray) All MLH (3 - 13 Plies); 2.5 – 30.0 mm - T-2 F☆☆☆☆ MF (Catcher Spray) Combi MLH & Falcata (3 - 7 Plies); 2.5 – 15.0 mm	MALQ/P01-LF/104	Jan 24, 2020
							- T-1 F☆☆☆☆ PF - PA-302 (All MLH); 3 - 9 Plies (4.0 – 20.0 mm) - T-1 F☆☆☆☆ PF - PA-302 (All Keruing, 3 - 7 Plies (5.5 – 20.0 mm)		June 3, 2021
							- T-2 F☆☆☆☆ MUF (Catcher Spray), All Falcata: 3 - 7 Plies (4.0 – 12.0 mm)		Oct 14, 2021
							- T-1 F☆☆☆☆ PF - PF-403 (All MLH); 3 - 7 plies (4.0 – 15.0 mm) - T-1 F☆☆☆☆ PF - PF-403 (All Keruing); 3 - 7 plies (5.5 – 15.0 mm)		Oct 8, 2026
							<u>Lumber Core</u>: T-2 F☆☆☆☆ MUF (Catcher Spray) Combi MLH & Falcata (5 Plies); 12.0 – 30.0 mm		Jan 24, 2020
						2. Low Formaldehyde Emission Structural Plywood	- T-S C-1 F☆☆☆☆ PF (All Keruing); 3 plies (5.0 mm) - T-S C-2 F☆☆☆☆ PF (All MLH); 3 plies (7.5 mm), 5 plies (9.0 mm, 12.0 mm), 7 plies (15.0 mm)	MALQ/P04-LF/104	Nov 28, 2022

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
67	HUAIAN BENHE WOOD CO., LTD.	Industrial Cluster Area of Cha Miao Town, Lianshui County, Huaian City, Jiangsu Province 223400, China	Industrial Cluster Area of Cha Miao Town, Lianshui County, Huaian City, Jiangsu Province 223400, China	Mr. CUI ZHONGYAO, President Director	LVL	LVL for Fixtures	- F☆☆☆☆ Catcher Coating (Urea) All Poplar - F☆☆☆☆ Catcher Coating (Urea) Mixed Poplar & Eucalyptus	MALQ/L01-LF/035	Jan 30, 2020
68	JIANGMEN CHANGDA WOOD PRODUCTS CO., LTD.	No. 29 Du Ruan North Third Road, Du Ruan Town, Pengjiang District, Jiangmen City, Guangdong Province, 529000, China	No. 29 Du Ruan North Third Road, Du Ruan Town, Pengjiang District, Jiangmen City, Guangdong Province, 529000, China	Mr. Huang Dong Sheng, President Director	Plywood	1. Plywood for General Use	- T-1 F☆☆☆☆ (All Hardwood) ; 5 - 9 plies (9.0, 18.0 mm) - T-1 F☆☆☆☆ (Mixed Hardwood-Softwood), 5 - 9 plies (5.5 – 15.0 mm) - T-2 F☆☆☆☆ (All Hardwood) ; 5 - 9 plies (5.5, 18.0 mm) - T-2 F☆☆☆☆ (Mixed Hardwood -Softwood), 5 - 9 plies (5.5 - 15.0 mm)	MALQ/P01-LF/105	Feb 6, 2020
							- T-2 F☆☆☆☆ (All Hardwood) ; 3 plies (2.5, 3.0 mm) - T-2 F☆☆☆☆ All Hardwood (Parallel layer) ; 3, 5 plies (4.0, 9.0 mm) - T-2 F☆☆☆☆ Mixed Hardwood-Softwood (parallel layer) ; 5 plies (9.0 mm)		Aug 22, 2025
						2. Low Formaldehyde Emission Structural Plywood	- TS C-2 F☆☆☆☆ (All Hardwood) ; 5, 7 & 9 plies (9.0, 12.0, 15.0 mm) - TS C-2 F☆☆☆☆ (All Softwood) ; 5, 7 & 11 plies (9.0, 12.0, 24.0 mm) - TS C-2 F☆☆☆☆ (Mixed Hardwood-Softwood) ; 5, 7 & 11 plies (9.0, 12.0, 24.0 mm) - TS C-2 F☆☆☆☆ (All Hardwood) Parallel layer ; 5 plies (12.0 mm) - TS C-2 F☆☆☆☆ (Mixed Hardwood-Softwood) Parallel layer ; 5 plies (12.0 mm)	MALQ/P04-LF/105	Feb 6, 2020

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
69	PT PINAKO ROTARI PERMAI	Desa Wonorejo, Desa/Kelurahan Wonorejo, Kecamatan Pringapus, Kabupaten Semarang, Provinsi Jawa Tengah 50552, Republic of Indonesia	Desa Wonorejo, Desa/Kelurahan Wonorejo, Kecamatan Pringapus, Kabupaten Semarang, Provinsi Jawa Tengah 50552, Republic of Indonesia	Mr. Bimo Suprihanto, S.Hut, Management Representative	Plywood	1. Plywood for General Use	Veneer Core: - T-2 F☆☆☆☆ Catcher Coating (Combi MLH & Falcata), 3 plies, 5 plies & 7 plies	MALQ/P01-LF/108	Oct 23, 2020
							- T-1 F☆☆☆☆ Catcher Coating (Combi: F/B MLH & Shortcore /Longcore Falcata), 3, 5 & 7 plies - T-1 F☆☆☆☆ Catcher Coating Combi 3 plies: F/B/Shortcore MLH, 5 & 7 plies: F/B/Longcore MLH & Shortcore Falcata - T-2 F☆☆☆☆ Catcher Coating,Combi : F/B/Longcore MLH & Shortcore Falcata) 5, 7 plies & up		Jan 12, 2021
							Lumber Core: - T-2 (LC) F☆☆☆☆ 5 Plies (F/B: MLH, SC & Lumber Core: Falcata) - T-2 (LC) F☆☆☆☆ 5 Plies (F/B: MLH, SC & Lumber Core: Falcata)		Feb 10, 2026
						2. Concrete Forming Plywood	Phenol (For the span in the direction of width) All MLH: 5 & 7 plies	MALQ/P02/108	May 27, 2021
						3. Low Formaldehyde Emission Structural Plywood	T-S C2 F☆☆☆☆, All MLH: 5 & 7 plies	MALQ/P04-LF/108	
					LVL	4. LVL for Fixtures	F☆☆☆☆ (Catcher coating) All MLH; 11 – 19 layers (25.5 – 45.0 mm)	MALQ/L01-LF/036	Jan 12, 2021

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
70	PT SARITANI PERKAYUAN INDONESIA	Jl. Bangsal No. 22, Puloniti, Kecamatan Bangsal, Kabupaten Mojokerto, East Java 61381, Republic of Indonesia	Jl. S. Parman No. 10, Modopuro, Kecamatan Mojosari, Kabupaten Mojokerto, East Java 61382, Republic of Indonesia	Mr. Auzan Rashidi, Director	LVL	LVL for Fixtures	- F☆☆☆☆ Melamine Urea (Catcher coating), All Jabon - F☆☆☆☆ Melamine Urea (Catcher coating), Combi Falcata & Jabon - F☆☆☆☆ Melamine Urea (Catcher coating), Combi Falcata & Mahoni	MALQ/L01-LF/038	May 27, 2021
71	UNITED FOREST CO., LTD.	1902 Lancaster Building, 20 Nui Truc, Giang Vo, Ba Dinh, Hanoi, Vietnam	Highway 70B, Cu Dong, Thanh Son, Phu Tho Province, Vietnam	Mr. Teruji Okoshi, President Director	LVL	LVL for Fixtures	F☆☆☆☆ (UF) Finished & Unfinished Inner/ Outer Layer: Styrax 18.0 – 45.0 mm (12 - 29 layers)	ALQ/L01-LF/041	Nov 10, 2021
72	PT ABHIRAMA KRESNA	Jl. Raya Solo-Wonogiri KM 21, Desa Kedungwinong, Kecamatan Nguter, Kabupaten Sukoharjo 57571, Central Java, Republic of Indonesia	Jl. Raya Solo-Wonogiri KM 21, Desa Kedungwinong, Kecamatan Nguter, Kabupaten Sukoharjo 57571, Central Java, Republic of Indonesia	Mr. Jubilant Arda Harmidy, Managing Director	Plywood	Plywood for General Use	T-2 F☆☆☆☆ (Lumber Core) (Combi: MLH & Falcata) 5 plies (12.0 – 30.0 mm)	MALQ/P01-LF/110	Nov 26, 2021
73	PT PRIMA PARQUET INDONESIA UNIT BOYOLALI	Celep Kidul RT 02 RW 03, Desa Dagen, Kecamatan Jaten, Kabupaten Karanganyar 57731, Central Java, Republic of Indonesia	Dukuh Trosobo, Desa Trosobo, Kecamatan Sambi, Kabupaten Boyolali 57376, Central Java, Republic of Indonesia	Mr. Nurcholis, President Director	Plywood	Plywood for General Use	- T-2 F☆☆☆☆ (Veneer Core) Combi: MLH & Falcata); 3 - 7 plies up (2.5 - 30.0 mm) - T-2 F☆☆☆☆ (Lumber Core), Combi MLH & Falcata; 5 plies (12.0 - 30.0 mm - T-1 F☆☆☆☆ (Veneer Core) Combi: MLH & Falcata); 3 - 7 plies up (2.5 - 30.0 mm)	MALQ/P01-LF/111	Dec 10, 2021 April, 26, 2022
74	JIANGSU WANHANG WOOD CO., LTD.	No.28, Foshan Road, Economic Development Zone, Guannan County, Lianyungang City, Jiangsu Province, China 222500	No.28, Foshan Road, Economic Development Zone, Guannan County, Lianyungang City, Jiangsu Province, China 222500	Mr. Zhai Tongjun, General Manager	LVL	LVL For Fixtures	F☆☆☆☆ Catcher Spray (Urea), All Poplar	MALQ/L01-LF/044	March 1, 2022

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
75	LIANYUNGANG SENFU WOOD CO., LTD.	Qinghu Town Industrial Park, Donghai County, Lianyungang City, Jiangsu Province, China 222321	Qinghu Town Industrial Park, Donghai County, Lianyungang City, Jiangsu Province, China 222321	Mr. Xu Xueshan, President Director	Plywood	Low Formaldehyde Emission Structural Plywood	TS C-2 F☆☆☆☆ Phenol (All Larch) 5 plies & 7 plies up	MALQ/P04-LF/113	April 20, 2022
76	PT INTERTREND UTAMA	Jl. Industri No. 28, Sukorejo-Buduran, Desa/Kelurahan Sukorejo, Kecamatan Buduran, Kabupaten Sidoarjo 61252, East Java, Republic of Indonesia	Jl Raya Babat Jombang, Desa/Kelurahan Dradahblumbang, Kecamatan Kedungpring, Kabupaten Lamongan 62272, East Java, Republic of Indonesia	Mr. Widjaja Karli, Director	Plywood	Plywood for General Use	T-1 F☆☆☆☆ (Coating Catcher) All MLH; 3 plies, 5 plies & 7 plies T-2 F☆☆☆☆ (Coating Catcher) All MLH; 3 plies, 5 plies & 7 plies	MALQ/P01-LF/114	May 25, 2022
77	LTS TRADE AND MANUFACTURING JOINT STOCK COMPANY	No 231, Lam Tien Street, Dong anh Town, Dong Anh District, Ha Noi City, Vietnam	Lot B1-2-3 Bach Hac industrial area, Bach Hac Ward, Viet Tri City, Phu Tho Province, Vietnam	Mr. Do Thanh Manh Linh, Chairman	LVL	LVL For Fixtures	F☆☆☆☆ (Urea-Melamine) All Styrax 9.0 – 50.0 mm (7 – 34 layers	MALQ/L01-LF045	June 22, 2022
							F☆☆☆☆ (Phenol) All Styrax 27.0 – 35.0 mm (18 – 23 layers)		Oct 17, 2025
78	PT SARANA BORNEO INDUSTRI	SEI PARIGI, Desa/Kelurahan Mantuil, Kecamatan Banjarmasin Selatan, Kota Banjarmasin, Provinsi Kalimantan Selatan 70244, Republic of Indonesia	Desa Mantuil, Desa/Kelurahan Mantuil, Kecamatan Banjarmasin Selatan, Kota Banjarmasin, Provinsi Kalimantan Selatan 70244, Republic of Indonesia	Mr. Trenggono Nugroho, Director	Plywood	Plywood for General Use	T-2 F☆☆☆☆ (Coating Catcher) All MLH, 3 – 5 plies (2.5 – 12.0 mm)	MALQ/P01-LF/116	Nov 07, 2022
79	PT PRIMA PARQUET INDONESIA UNIT KARANGANYAR	Celep Kidul, Desa/Kelurahan Dagen, Kecamatan Jaten, Kabupaten Karanganyar 57731, Provinsi Jawa Tengah, Republic of Indonesia	Celep Kidul RT 002 RW 003, Desa/Kelurahan Dagen, Kecamatan Jaten, Kabupaten Karanganyar 57731, Provinsi Jawa Tengah, Republic of	Mr. Nurcholis, President Director	Plywood	Low Formaldehyde Emission Structural Plywood	TS C-2 F☆☆☆☆ (Phenol) Combi MLH & Falcata; 7 plies (12.0 mm)	MALQ/P04-LF/117	Nov 28, 2022

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
			Indonesia			Plywood for General Use	- T-2 F☆☆☆☆ (Veneer Core) Combi: MLH & Falcata; 3 - 7 plies (4.0 – 12.0 mm) - T-2 F☆☆☆☆ (Lumber Core), Combi: MLH & Falcata; 5 plies (12.0 – 18.0 mm)	MALQ/P01-LF/117	Feb 1, 2023
80	PT WIJAYA TRIUTAMA PLYWOOD INDUSTRI	Jl. Trisakti Komplek UKA, Desa/Kelurahan Basirih, Kecamatan Banjarmasin Barat, Kota Banjarmasin, South Kalimantan 70245, Republic of Indonesia	Jl. Trisakti Komplek UKA, Desa/Kelurahan Basirih, Kecamatan Banjarmasin Barat, Kota Banjarmasin, South Kalimantan 70245, Republic of Indonesia	Mr. Djoko Wahyudi, General Manager	Plywood	Plywood for General Use	- T-1 F☆☆☆☆, F☆☆☆ (Coating Catcher) All MLH; 3 plies (3.0 mm - 5.5 mm) 5 plies (9.0 mm) - T-2 F☆☆☆☆, F☆☆☆ (Coating Catcher) All MLH; 3 plies (2.5 - 5.5 mm) 5 plies (9.0 mm) 7 plies (12.0 – 15.0 mm) 9 plies (18.0 mm) - T-2 F☆☆☆☆, F☆☆☆ (Coating Catcher), Combi MLH-Falcata: 3 plies (2.5 – 4.0 mm), 5 plies (5.5 -9.5 mm), 7 plies (12.0 - 12.5 mm), 9 plies (15.0 – 18.0 mm), 11 plies (21.0 mm), 13 plies (24.0 mm)	MALQ/P01-LF/119	May 13, 2024
81	VEISHENG TIMBER SDN BHD	Mile 9½, Labuk Road, Church Road, Near Sungai Seguntor, PPM, 91, Elopura 90000 Sandakan, Sabah, Malaysia	Mile 9½, Labuk Road, Church Road, Near Sungai Seguntor, PPM, 91, Elopura 90000 Sandakan, Sabah, Malaysia	Mr. Lin Hsien Tsung, Managing Director	Plywood	1. Low Formaldehyde Emission Concrete Formwork Plywood	F☆☆☆ (MUF) 5 plies (12.0 mm) 7 plies (12.0, 15.0 mm) FB/LC/SC: Seraya Mixed Direction of use: Length	MALQ/P02-LF/120	Oct 24, 2024
						2. Concrete Formwork Plywood	MUF 5 plies (12.0 mm) 7 plies (12.0, 15.0 mm) FB/LC/SC: Seraya Mixed Direction of use: Length	MALQ/P02/120	Oct 24, 2024

mutu international

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
						3. Low Formaldehyde Emission Structural Plywood	TS C-2 F☆☆☆☆ (PF) 5 plies (9.0, 12.0 mm) 7 plies (12.0, 15.0 mm) FB/LC/SC; Seraya Mixed	MALQ/P04-LF/120	Oct 24, 2024
82	VIETNAM FUQING WOOD CO., LTD	Dia chi tru so, Thon Hop Nhat, Xa Thinh Hung, Huyen Yen Binh, Tinh Yen Bai, Vietnam	Dia chi tru so, Thon Hop Nhat, Xa Thinh Hung, Huyen Yen Binh, Tinh Yen Bai, Vietnam	Mr. Chen Changfu, President Director	LVL	LVL for Fixtures	F☆☆☆☆ (UF) Finished & Unfinished Inner/ Outer Layer: Styrax 10.0 - 65.0 mm (6 - 34 layer)	MALQ/L01-LF/049	Oct 31, 2024
83	TIAN CHENG HUIHAO VIETNAM NEW CONSTRUCTION MATERIALS CO., LTD	Dong Lang Industrial Park, Phu Ninh Commune, Phu Ninh District, Phu Tho Province, Vietnam	Dong Lang Industrial Park, Phu Ninh Commune, Phu Ninh District, Phu Tho Province, Vietnam	Ms. Wang Sen, Managing Director	LVL	LVL for Fixtures	F☆☆☆☆ (MUF) Finished & Unfinished - All Styrax: 20.0 – 35.0 (12 – 19 layers) - Styrax & Pine: 15.0 – 65.0 (8 - 33 layers) - Styrax & Euc: 15.0 – 65.0 (8 - 33 layers)	MALQ/L01-LF/050	Dec 31, 2024
84	UNITED FOREST CO., LTD – PLYWOOD	16th Floor, Ladeco Building, 266 Doi Can, Lieu Giai, Ba Dinh, Ha Noi, Viet Nam	Long Binh An IZ, An Hoa, Doi Can, Tuyen Quang Province, Viet Nam	Mr. Teruji Okoshi, General Director	Plywood	Plywood for General Use	OP T2 F☆☆☆☆ (MUF) All Styrax, 5 & 7 plies up Thickness: 5.0 – 30.0 mm	MALQ/P01-LF/121	May 5, 2025
85	PT TRI EKA INVESTAMA MAKMUR	Jl. Pembangunan 1 No. 3, Kota Adm. Jakarta Pusat, DKI Jakarta Province 10130 - Republic of Indonesia	Kawasan Industri Wijaya Kusuma, Jl. Tugu Wijaya X No. 1, Desa/Kelurahan Randugarut, Kecamatan Tugu, Kota Semarang, Jawa Tengah - Republic of Indonesia	Mr. Chan Samad, Management Representative	LVL	Laminated Veneer Lumber for Fixtures	F☆☆☆☆ (UF) Finished & Un-Finished Combination Mahoni & Falcata Outer layer: Mahoni, Inner: Mahoni & Falcata Thickness: 25.0 – 50.0 mm	MALQ/L01-LF/051	July 3, 2025
86	RFP ENGINEERED WOOD, LLC	Office 111, BLD 6, Mashinostroiteley Highway, Amursk Town, Khabarovsk Krai, Russia, 682643	Office 111, BLD 6, Mashinostroiteley Highway, Amursk Town, Khabarovsk Krai, Russia, 682643	Mr. Nikolay Bakanov, General Director	Plywood	Low Formaldehyde Emission Structural Plywood	T-S C-2 F☆☆☆☆ (PF) All Larch; 5 plies (9 mm,12 mm), 7 plies (18 mm) & 9 plies (24 mm)	MALQ/P04-LF/122	Dec 16, 2025

LIST OF JAS CERTIFIED COMPANY

No	Company Name	Address		Name of Representative	The Kind and Item			Number of Certificate	Date of Certificate
		Head office	Factory		Category	Item of Product (s)	Detail of Product (s)		
87	PT NANKAI INDONESIA (UNIT JEMBER)	JL. MAYJEN SUNGKONO NO. 21-23 GULOMANTUNG Desa/Kelurahan Gulomantung, Kecamatan Kebomas, Kabupaten Gresik, Provinsi Jawa Timur 61124, Republic of Indonesia	DESA GARAHAN, Desa/Kelurahan Garahan, Kecamatan Silo, Kabupaten Jember, Provinsi Jawa Timur 68184, Republic of Indonesia	Mr. Tomohiro Hara, President Director	Plywood	1. Plywood for General Use	T-2 F☆☆☆☆ UF (Catcher Spray), All Falcata; 3 - 13 plies (5.5 – 26.0 mm)	MALQ/P01-LF/123	Feb 27, 2026
					LVL	2. Laminated Veneer Lumber for fixtures	F☆☆☆☆ (Catcher Spray) Inner/Outer; Falcata 13.0 – 52.0 mm (7 to 26 layers)	MALQ/L01-LF/052	
88	PT AKSHA KARUNIA MILL	Jalan Sumberboto, Desa/Kelurahan Grobogan, Kecamatan Mojowarno, Kabupaten Jombang, Provinsi Jawa Timur 61475, Republic of Indonesia	Jalan Sumberboto, Desa/Kelurahan Grobogan, Kecamatan Mojowarno, Kabupaten Jombang, Provinsi Jawa Timur 61475, Republic of Indonesia	Mrs. Meity Lin Lin, President Director	Plywood	Plywood for General Use	- T-1 F☆☆☆☆ MF (Catcher Coating), - T-2 F☆☆☆☆ UF (Catcher Coating) All MLH; 3 plies (2.5, 3.0 & 4.0 mm), 5 plies (5.5, 9.0 & 9.5 mm), 7 plies (12.5 mm)	MALQ/P01-LF/124	Sep 22, 2026